



Turn your **outdoor dreams** into **reality.** We're here to help you every step of the way.



5 DREAM

Driveways, Entrances and Walkways, Outdoor Living, Pool Decks

43 LEARN

Construction 101, Product Quality, Care and Maintenance

51 PLAN

Choosing a Contractor, Design Considerations, Choosing Products, Project Management Tips

63 SELECT

EnduraColor™ Plus Architectural Finishes, EnduraColor™, Classic, Permeable, Vertical Dimensions









DREAM

SOMETHING FOR EVERYONE

The following pages contain just a few of the infinite number of Unilock project possibilities. Visit our online project photo gallery at Unilock.com for hundreds more.

DRIVEWAYS
ENTRANCES & WALKWAYS
OUTDOOR LIVING
POOL DECKS





Umbriano* (Summer Wheat)

TOP

Richcliff" (Dawn Mist and Pebble Taupe) with Copthorne" (3 Color Blend) accent

воттом

PAVER: Richcliff (Dawn Mist and Pebble Taupe) with Courtstone* (Basalt) accent WALL & PILLAR: Brussels Dimensional System* (Sierra) with Brussels Fullnose* (Sierra) steps, pool coping and Ledgestone* Pillar Cap (Grey)



PAVER:

Umbriano* (Summer Wheat)

GRILL ISLAND AND SEAT WALL: Estate Wall* (River) with

Il Campo* (Mocha) accent and Ledgestone™ coping (Buff)

FIREPLACE:


Barcelona Fireplace















OPPOSITE PAGE

PAVER: Artline" (Platinum) and Artline (Il Campo' Finish - Granite Blend) with Series 3000' (Black Granite) accent

WALL: Lineo™ Dimensional Stone (Platinum) with Series 3000* (Black Granite) accent and Ledgestone™ (Grey) coping

TOP

PAVER: Brussels Block* (Sandstone)

WALL & PILLARS: Brussels Dimensional System™ (Sandstone) with Copthorne* (Burgundy Red) accent and Brussels Fullnose™ (Sandstone) coping


воттом

PAVER: Thornbury[™] (Sierra)

WALLS, STEPS & PILLARS:

Brussels Dimensional System (Sandstone) with Series 3000 (Black Granite) accent and Ledgestone (Buff) coping







OPPOSITE PAGE

PAVER: Copthorne" (3 Color Blend) with Brussels Block" (Sandstone) accent

LEFT

Artline™ (Platinum) with Series 3000* (Black Granite) accent

RIGHT

Copthorne (3 Color Blend) with Brussels Block (Sandstone) accent







Courtstone* (Basalt) with Courtstone (Pebble Taupe) accent


TOP

PAVER: Richcliff' (Dawn Mist and Pebble Taupe) with Courtstone (Basalt) accent WALL: Rivercrest' Wall (Coastal Slate) with Ledgestone™ (Grey) coping and pillar cap

воттом

Promenade™ Plank Paver (Steel Grey) and Promenade Plank Paver (Il Campo* Finish - Granite Blend)







PAVER: Courtstone* (Basalt, Belgian Blue and Dawn Mist) with Copthorne* (Burgundy Red) accent

TOP

PAVER: Thornbury** (Sierra)
FIRE FEATURE: Rivercrest* Wall
(Coastal Slate) with Natural Stone
coping (Black River)

воттом

PAVER: Richcliff' (Dawn Mist and Pebble Taupe) with Copthorne (3 Color Blend) accent

STEPS AND PILLAR: Brussels Dimensional System" (Sierra) with Ledgestone" pillar cap (Buff) and Brussels Fullnose" (Sierra) coping with Richcliff (Pebble Taupe and Dawn Mist) and Unigranite" (Dark Charcoal) accents



PAVER: Beacon Hill Flagstone™ (Walnut) with Il Campo* (Heritage Brown) accent

SEAT WALLS, PILLARS, FIREPIT AND WATER FEATURES:

Brussels Dimensional System™ (Sierra) with Brussels Fullnose™ (Sierra) coping and Ledgestone™ coping pillar cap (Buff)

воттом

PAVER: Courtstone* (Basalt) with Copthorne* (Basalt) accent

SEAT WALLS AND FIREPIT: Brussels Dimensional System (Sierra) with Brussels Fullnose™ (Sierra) coping and Town Hall™ (Basalt) accent

OPPOSITE PAGE

PAVER: Richcliff* (Dawn Mist and Pebble Taupe)








Natural Stone (Indian Coast)

BOTTOM Umbriano* (Winter Marvel)

OPPOSITE PAGEUmbriano (Summer Wheat)







LEFT


Brussels Block* (Limestone and Sandstone) with Town Hall™ (Burgundy Red) accent

RIGHT

PAVER: Town Hall (3 Color Blend)

OPPOSITE

PAVER: Beacon Hill Flagstone™ (Sierra) with Copthorne* (3 Color Blend) accent WALL: Brussels Dimensional System™ (Sandstone) with Brussels Fullnose™ coping (Sandstone) and Ledgestone™ pillar cap (Buff)









PAVER: Umbriano* (Summer Wheat)
GRILL ISLAND, SEAT WALL: Estate Wall*
(River) with Il Campo* (Dark Charcoal)
accent and Ledgestone™ (Buff) coping
FIREPLACE: Barcelona Fireplace

TOP

Thornbury™ (Sierra) with
Town Hall™ (Burgundy Red) accent
and Ledgestone (Buff) coping

воттом

PAVER: Richcliff" (Dawn Mist and Pebble Taupe) with Courtstone" (Basalt) accent WALL: Lineo" Dimensional Stone (Platinum) with Natural Stone (Stone Cliff Grey) coping



PAVER: Richcliff® (Dawn Mist) with Series 3000® (Black Granite) accent and Brussels Fullnose™ (Sandstone) pool coping


WALL AND PILLARS: Estate Wall" (River) with Series 3000 (Black Granite) accent













PAVER: Richcliff* (Dawn Mist) **WALL:** Rivercrest* Wall (Coastal Slate) with Ledgestone™ (Buff) coping

PAVER: Umbriano* (Summer Wheat) with Senzo* (Castano) accent and Ledgestone (Buff) coping

WALL: Rivercrest Wall (Coastal Slate) with Ledgestone (Grey) coping

воттом

PAVER: Umbriano (Midnight Sky) with Brussels Block* (Limestone) and Series 3000* (Black Granite) accents

WALL: Brussels Dimensional System[™] (Sierra) with Series 3000 (Black Granite) accent



PAVER: Umbriano* (Summer Wheat) with
Il Campo* (Heritage Brown) and Series 3000*
(Black Granite) accents and Umbriano Star

GRILL ISLAND, WATER FEATURE AND SEAT WALLS:

Brussels Dimensional System™ (Sandstone) with Series 3000 (Black Granite) and II Campo (Heritage Brown) accents

воттом

PAVER: Umbriano (Summer Wheat) with Senzo™ (Castano) accent

WALL: Rivercrest* Wall (Buff) with Senzo (Castano) accent

STEPS, PILLAR CAP AND COPING: Ledgestone™ (Buff) coping and pillar cap


OPPOSITE PAGE

PAVER: Beacon Hill Flagstone™ (Walnut) with Series 3000 (Black Granite) and Il Campo (Heritage Brown) accents

GRILL ISLAND, PILLARS AND WALL:

Brussels Dimensional System (Sandstone) with Series 3000 (Black Granite) accent and Brussels Fullnose" (Sandstone) with Ledgestone (Buff) pillar cap











OPPOSITE PAGE

Town Hall™ (3 Color Blend)

TOP

PAVER: Copthorne* (3 Color Blend) with Brussels Block* (Sandstone) accent

WALL, GRILL ISLAND, SEAT WALL AND
PILLARS: Brussels Dimensional System™
(Sierra) with Copthorne
(3 Color Blend) accent
FIREPLACE: Tuscany Fireplace

воттом

Richcliff' (Dawn Mist) with Courtstone' (Basalt) and Senzo™ star (Nuvola, Cremo and Castano) accents




Artline™ (Platinum) with Series 3000® (Black Granite) accent

BOTTOM
PAVER: Thornbury™ (Sierra) with
Ledgestone™ (Buff) coping

WALL: RomanPisa* (Sierra) with Ledgestone (Buff) coping

OPPOSITEUmbriano* (Winter Marvel)





PAVER: Umbriano* (Midnight Sky) with Series 3000* (Black Granite) accent

GRILL ISLAND, GAZEBO AND WALL:

Rivercrest* Wall (Coastal Slate) with Rivercrest coping and Series 3000 (Black Granite) accent with Ledgestone** (Grey) pillar cap

FIREPIT: Rivercrest Wall (Coastal Slate) with Rivercrest coping and Brussels Fullnose" (Limestone) coping and Ledgestone (Grey) pillar cap











TOP

Thornbury" (Bavarian Blend) with Courtstone' (Basalt) and Brussels Block' (Sandstone) accents

BOTTOMRivercrest* Wall (Coastal Slate) with Ledgestone™ (Buff) coping

OPPOSITEBrussels Block (Sandstone) with Copthorne* (Basalt) accent





PAVER: Brussels Block* (Sierra) with Copthorne* (3 Color Blend) and Il Campo* (Heritage Brown) accents

WALLS AND PILLARS:

Brussels Dimensional System[™] (Sandstone) with Copthorne accent and Brussels Fullnose[™] (Sierra) coping

воттом

PAVER: Courtstone* (Basalt) with Copthorne (3 Color Blend) and Brussels Block accents


OPPOSITE Town Hall™ (3 Color Blend)











LEARN

LOOK BEYOND THE SURFACE


There's more to a successful project than simply what you see on the finished surface. The construction of the base, the technology that goes into the products you choose and the steps you take to care for your new outdoor space, all influence whether or not a project will continue to look great for years to come.

PRODUCT QUALITY

CARE AND MAINTENANCE

CONSTRUCTION 101

The long-term performance of your project is determined by the **quality of the work** that's done to prepare the surface **below** your pavers and walls.



A proper base will ensure that your pavers and walls won't settle or shift out of place with freeze-thaw cycles.

EXCAVATION

The first step in any project is excavation of the native soil.


The depth will depend on two factors:

- | **Soil Type** Clay soil requires deeper excavation; sandy soil requires less.
- | Use Heavy loads like driveways and retaining walls require deeper excavation; lighter loads like patios and walkways require less.

BASE MATERIAL

The excavated area will be filled with a **base material.** This material needs to be:

- Strong enough to handle the load of whatever is placed on the surface.
- Free draining so that water moves away from the surface.
- | Extended at least six inches beyond the edges of the finished paver surface.
- Compacted in several layers, using the proper equipment.





BEDDING SAND

The right bedding material installed at the right depth is vital to the performance of your pavement. It provides a nice smooth surface for laying pavers and allows water to quickly drain away from the surface.



EDGE RESTRAINT

Edge restraint is secured either underneath the pavers (for a permeable project) or by long spikes driven into the base material around the perimeter of the paver surface.



JOINT MATERIAL

Joint material plays an important role in further locking the pavers in place, as well as keeping weeds and other debris out. There are several types of joint material to choose from. For more information on the various types, turn to page 60.



REMEMBER A quality project is built upon a solid foundation. For this reason, we recommend hiring a professional contractor.



PERMEABLE PROJECTS A GREENER CHOICE!

More and more homeowners are installing **PERMEABLE** paver projects to help direct rainfall away from storm sewer systems and back into the natural ecosystem. The pavers used in a permeable installation look very similar to traditional pavers, but are made with extra space between them so rainwater can flow back into the earth below, instead of running off the surface into storm sewers.

Special materials are used in the permeable base and joints to encourage water to flow through. Unilock® permeable paver choices can be found on pages 73, 84, 92-93.



INTERESTING FACT Some homeowners install rainwater collection systems underneath their paver projects to supply water to inground sprinkler systems!

PAVER CONSTRUCTION




Brussels Block® - Tumbled Finish

GOOD STANDARD THRUMIX

This is how the first pavers were manufactured. The product mix of large and small aggregates is consistent, from top to bottom, with color mixed throughout. The Unilock® Classic pavers we manufacture exceed all ASTM standards for quality and strength. They're available in traditional paver shapes and a variety of textures including smooth, dimpled or tumbled. Find them, beginning on page 87.

The majority of the project budget is base materials and labor.



Choosing a premium paver or wall product won't drastically impact the overall project cost.

Upgrading to EnduraColor or EnduraColor Plus could have less impact on the overall project price than you may think. Don't settle for older technology without understanding what today's best products have to offer.

ENDURACOLOR



Coarser foundation that gives the stone its strength

Profile View

BETTER FACEMIX

Facemix products are manufactured in a two-step process which combines a base of coarser aggregates for a stronger foundation, with concentrated color and wear-resistant finer aggregates on top. Facemix products are commonly marketed as 'fade-proof' because the top layer of concentrated color prevents lighter color aggregates from ever showing through. This is the manufacturing process for the Unilock EnduraColor™ products you'll find beginning on page 79.









Only Unilock offers EnduraColor™ Plus Architectural Finishes, a collection of products that deliver long-lasting beauty through a proprietary blend of exclusive and superior ingredients. A complex blend of granite and quartz, some of nature's highest performing minerals, are combined to create ultra-realistic surface textures and unique style options that are exceptionally durable. Proprietary manufacturing technologies like Ultima™, EasyClean™, ColorFusion™ and Reala™ give these products added benefits in terms of beauty and function. You'll find these exclusive Unilock products beginning on page 65.


A NEW STANDARD FOR EVERLASTING BEAUTY.

THE CHOICE OF DESIGN PROFESSIONALS

The same Unilock products available to homeowners are relied on by architects, landscape architects and engineers, to create world class commercial spaces across North America.







PRODUCT QUALITY

Many products will look great when they're first installed, but in time, the difference in quality shows. All products are NOT created equal!

Installed with the proper construction methods, the longevity of your project relies on the **quality of the paver and wall** products you choose.

COLOR

Deep, rich color choices and natural color blends are characteristics that make Unilock® products unique. Our synthetic iron oxide pigments are non-fading, weatherproof, UV resistant and outperform natural counterparts.

STRENGTH

The compressive strength of Unilock pavers and walls exceeds industry standards and ranges from 7,000 psi on small wall products, to more than 12,000 psi on some pavers.

SURFACE TECHNOLOGY

Unilock pavers are designed to tolerate oil and gas spills, resistant to salt and chlorine erosion, and slip-resistant.

STAIN RESISTANCE

EasyClean™ Stain Resistance
An integral surface protection that allows for
easier cleanup of spills when they happen, before
a stain can develop. Find Unilock products
featuring EasyClean on pages 65 and 69.

EXTRA STRENGTH

Ultima™ Concrete Technology
A proprietary manufacturing process that creates pavers and walls with up to four times the strength of poured concrete. Find Unilock products featuring Ultima on pages 67-68, 71, 73 and 75.

THE LOOK OF GRANITE

ColorFusion™ Technology
A proprietary technology that disperses color randomly to achieve the look of natural granite. Find Unilock products featuring ColorFusion on page 65.

NATURAL STONE TEXTURE

Reala™ Technology

Ultra realistic textures are cast from natural stone, brick and historic cobblestones. Find Unilock products featuring Reala on pages 67-68, 71, 73, 75, 94-95, 101 and 111.





DIMENSIONAL TOLERANCE

Dimensional tolerance is a measure of how perfect each paver is in its dimensions, and it's something we pay close attention to. When pavers are consistent in size, they require less adjustment when they're installed, which can mean significant labor cost savings, and a speedier delivery of your finished project. As well, for projects that feature linear patterns, it means that those lines will be true, and more visually appealing.

HOW TO KEEP YOUR PROJECT LOOKING GREAT FOR DECADES.



A SOLID FOUNDATION **PREVENTS SETTLING**

When the base of your project is properly constructed, water will not accumulate underneath and settling will not occur. See page 44 for more information on proper construction. Need help finding a qualified contractor? Call us at 1-800-UNILOCK or register online at Unilock.com and we'll match you with a Unilock® Authorized Contractor in your area.

TO SEAL OR NOT TO SEAL

Some homeowners choose to apply a sealer to their project surface when it's finished, to enhance the color of their pavers. Others choose to appreciate the color of the pavers as they are. Unilock pavers will be durable with or without a sealer. If you choose to seal you should plan to re-seal every three to five years.

WEEDS CAN BE PREVENTED

When a proper base is installed, there is no soil directly beneath your pavers from which weeds can grow. However, if the joints are not kept full with jointing material, it is possible for dirt and weed seeds to blow in from the surrounding area and germinate in the joints.

In the past - a simple sand was the only jointing material available. Unless this sand was replenished regularly, rain would erode the sand, leaving the joints vulnerable to weeds.

Today - new varieties of sand stabilizer compound and polymeric iointing materials are available which relieve homeowners from this maintenance burden. See page 60 for more information on jointing material choices.


WINTER CARE

Paver projects offer a clear advantage over poured-in-place concrete when it comes to weathering the four seasons. Installed right, your paver project will be built to withstand freeze-thaw cycles, so unlike concrete, it will never crack. As well, Unilock pavers are resistant to de-icing salt. To avoid damaging the surface of finer paving stones, we recommend using a plastic bladed hand shovel or adding a plastic cover to the blades of snow removal machines.

When a proper base is installed, there is **no** soil directly beneath your pavers from which weeds can grow.



INTERESTING FACT A permeable paver will accumulate less ice because water will drain from the paver surface before it has time to freeze. For more information on permeable paying, see page 45.







PLAN

TURNING YOUR DREAM INTO REALITY

If you've never undertaken an outdoor landscaping project before, it can feel overwhelming. We're here to help. The pages in this section are designed to help you plan for a successful project:

CHOOSING A CONTRACTOR

DESIGN CONSIDERATIONS

CHOOSING PRODUCTS

PROJECT MANAGEMENT TIPS

CHOOSING A CONTRACTOR

Choosing the right contractor for your project is the most **important decision** of all because even the best materials can be spoiled by poor installation and workmanship.



RELEVANT EXPERIENCE

- How long has the contractor been installing pavers and walls?
- ☐ Has the contractor installed projects in the past with the features you're considering (e.g. a raised patio, retaining wall, fire feature, grill island or water feature)? If so, can they provide photos?

WORKMANSHIP

Ideally, a contractor will provide you with the addresses of projects the company has completed in the past. When you visit the job, **pay attention** to the details.

- ☐ Are the pavers laid in a way that minimizes awkward cuts?
- ☐ Check the curves of the project to be sure pavers are placed or cut in a way that minimizes large gaps.
- ☐ Has edge restraint been used and is it still in place?
- Ask to see projects that are more than two years old so you can see how the work holds up over time.
- ☐ How long does the contractor guarantee the work?
- ☐ How many warranty claims has the company had in the past two years?

SUB-CONTRACTING

Some contractors will hire other companies to perform parts of the work, like lighting and irrigation. Be sure to ask the contractor about who these sub-contractors are and how they will be managed.



HAVING TROUBLE FINDING A CONTRACTOR?

Contact us at **1-800-UNILOCK** or register online at **Unilock.com** to take advantage of our Unilock® Authorized Contractor referral program. We'll take the time to understand your project, and will match you with a local contractor who is guaranteed to do the job right.

BASE PREPARATION

The longevity of your project relies on proper base preparation (see page 44 for more information on Construction 101).

_						
	\//ba+ aka	+6000	~ + u ~ ~ + ~ u'~	h	preparation	20 ath a da2
	vvnai are	1000	niraciors	nase	Drebaration	THEILICHER

■ What materials are u	ised and	whv?
------------------------	----------	------

☐ Is there a standard procedure for base preparation or will the contractor assess your site's unique needs?

TIMING

Some of the very best contractors book their schedules months in advance.


Ask the	contractor	how far in	advance th	ney are	booking	projects
and how	v lona thev	think your	project mic	aht take	ج.	

☐ What is the contractor's payment terms?

☐ Is an **upfront deposit** required to secure the timing of the project?

DOCUMENTATION

☐ Does the contractor have the proper licensing for their work?



☐ Will there be permits required for the job and if so, who is responsible to secure them?

COMPATIBILITY

☐ Do you like this contractor?

☐ Can you easily communicate and understand each other?

☐ Is this someone you can trust?

Ask if the person you're meeting will be on site throughout the project or if someone else in the company will be your day-to-day contact person.

☐ Contacting **references** can help you understand how the contractor operates throughout a project.





DESIGN

A contractor's portfolio of prior work can give you a great sense of their design approach.

☐ Does the contractor offer a design service?

☐ Is there a cost for this?

☐ If a design service is offered, is the design hand drawn or rendered in 3D?

☐ Are the contractor's designs something you would like for your project?

references
can help you
understand
how the
contractor
operates
throughout
a project.

DESIGN CONSIDERATIONS

FRONT OF HOME

CURB APPEAL

Attractive steps, planter boxes, low garden walls and a paver driveway all contribute to a warm, welcoming feeling that can be further enhanced by smartly placed lighting. Use the architecture of your home as a starting point and decide if this is something your outdoor landscaping should co-ordinate with, or contrast to. This will help you decide between straight or curved lines, and between warm or cool color tones for your project.

THINK OUTSIDE THE BOX

Even a modest front yard can usually accommodate **a small courtyard** seating space, where a morning coffee can be enjoyed or parents can supervise their kids playing with neighborhood friends. If your driveway is big enough, you may even consider using pavers to mark a **basketball court!**



PRACTICAL DESIGN

Make sure that there are paths to connect visitors to the front door and any other entrance points. As a general rule, a front walkway should never be less than four feet in width. Be sure step treads are wide enough and risers aren't too high for children or elderly visitors to navigate. If cars regularly park in your driveway, be sure to design a paver surface that is big enough for people to comfortably exit the vehicle from both sides.

FOUR SEASON CONSIDERATIONS

The materials used for the front of your home require special consideration because these areas are utilized year-round. When you design the space, think about where you will pile snow in the winter, and be sure to choose a paving product that can withstand de-icing salts. Consider permeable pavers to reduce rainwater runoff and decrease ice accumulation in winter.





OUTDOOR LIVING

CREATING OUTDOOR ROOMS

Even a small space can be made to feel bigger by designing the project around a number of outdoor 'rooms.' In a large space, distinct areas for **cooking, eating and relaxing** can be separated by vertical elements like steps, low walls and pillars, or a contrasting paver could be used to create the look of an area rug that helps visually ground furniture groupings. In a smaller space, the separation could be made by changing the style of paver used or adding a contrasting border to define the space.

SEAT WALLS

Outdoor furniture is often over-sized relative to indoor furniture so be sure to design your patio size with these generous proportions in mind. For smaller spaces or families who like to entertain, **seat walls** are a great solution for creating extra places for people to sit without the need for bulky furniture.

EXTEND THE SEASON

Fire features are growing in popularity because they add visual interest and warmth that makes the space more enjoyable to use in cooler weather. Building lighting into low walls, steps and pillars can also draw people outside in the evening, and add visual appeal from inside the home.



Even a small space can be **made to feel bigger** by designing the project around a number of outdoor 'rooms.' Be sure to choose a color that won't absorb too much heat from the summer sun.



POOL DECKS

SIZE MATTERS


When planning your pool deck **four feet is the minimum perimeter** around the pool for basic access. However, if you intend to use the pool deck as a patio for entertaining or sunbathing, consider a larger size and be sure to factor in the size of your outdoor furniture.

SAFETY CONSIDERATIONS

The paver you choose to surround your pool deserves special consideration because you'll be walking on it in your bare feet! Be sure to choose a color that won't absorb too much heat from the summer sun. A smoother surface is pleasing to walk on, but make sure it's sufficiently non-slip. Umbriano* is our most popular choice for pool decks; see page 65 for more details. For the coping around the edge of the pool, avoid products with abrasive edges. A contrasting coping color or inset border is something to consider, as it helps define the pool edge. Likewise, appropriate lighting is an important safety consideration. Use lighting to illuminate your pool for night swimming and to define pool edges and steps for greater safety.

AMPLIFY THE DRAMA

Even a standard pool shape can become a dramatic focal point for your outdoor space if you add vertical elements like **low walls, planter boxes and water features.** Likewise, an ordinary hot tub can be transformed into a dramatic visual feature by surrounding it with stone elements so that it appears custom built.



BORDERS AND BANDING

Like crown molding that is the finishing touch to a room, smartly planned borders and banding can elevate your project from good to great. Unilock® pioneered the idea of borders and banding and we continue to have the most unique options to make your project stand out.

See pages 120 and 121 for more Unilock borders and banding ideas, or visit Unilock.com to experiment with our online Uvision™ borders and banding tool.











NEED MORE DESIGN IDEAS? VISIT A UNILOCK OUTDOOR IDEA CENTER

SEE


An expansive display of Unilock® products in a life-size outdoor setting.

TALK To our knowledgeable staff and we'll help you create a plan to achieve the outdoor space you're dreaming about.

TAKE FREE samples of Unilock paver and wall products home with you.

Please feel free to walk around and browse our Outdoor Idea Center at any time. Call ahead for staffed hours. Call 1-800-UNILOCK or visit Unilock.com for more details.

12560 Sheets Road Rittman, OH 44256



VISUALIZING YOUR PROJECT DESIGN

A detailed design requires a great deal of time and effort, so you can understand why many contractors charge for this service in advance.

TRADITIONALLY, LANDSCAPE DESIGNS WERE HAND DRAWN TO SCALE ON GRAPH PAPER.

While there are many contractors and designers who still prefer to draw by hand, more and more plans today are being created digitally and in 3D.

If you're having trouble imagining what your project will look like when it's complete, a 3D design can really help.



Contact us at **1-800-UNILOCK** or register online at **Unilock.com** to take advantage of our Unilock® Authorized Contractor referral program. We'll take the time to understand your project, and will match you with a local contractor who offers a 3D design service and is guaranteed to do the job right.



3D Rendering



Completed Job



CHOOSING PRODUCTS

PAVERS

The horizontal paved surface is typically the largest area of the project, so it makes sense to begin here.

COLOR - Co-ordinate or contrast with the color of your home.

STYLE - Use the architecture of your house as a starting point and determine whether you're looking for something traditional, modern, rustic or historic.

FUNCTION - A driveway paver needs to be thicker than a patio paver to hold the weight of a vehicle. A pool deck paver needs to be non-slip and cool to walk on in the heat of summer. A paver for an outdoor kitchen needs to be easy to clean. Make sure the paver you choose is right for your project.





WALLS

FUNCTION - Only certain wall products can be used as retaining walls, and very large retaining walls require more specialized products. Seat walls need to be attractive from both sides, while one-sided products can be used to build a fireplace. Make sure the wall product you choose is right for your project. Your contractor can help.

COLOR - Co-ordinate or contrast with the color of the pavers you choose.

STYLE - Consider the style of the pavers you've chosen and determine whether you're looking for something traditional, modern, rustic or historic.





JOINTING MATERIAL

There are three types of jointing materials to choose from. They vary in durability and cost. Visit **Unilock.com** to see which materials are suited to the product you choose. Your contractor can also help you decide which type is right for your project.

Basic Jointing Sand - To reduce the frequency with which you need to replenish this sand, a joint stabilizing sealer is recommended.

Polymeric Sand - This is a special sand combined with a binding agent which stays in place longer than basic jointing sand. However, it's not right for every project and needs to be used with care to prevent hazing on finer surfaces.

Unilock® EasyPro™ - This is the ultimate joint compound for paving stones. It's a no-haze, epoxy resin product that is puncture resistant, permeable and eco-friendly (made with 60% renewable products). It's perfect for wide joints but not recommended for all applications.












THE BEST WAY TO PREVENT WEED GROWTH IS TO ENSURE THAT JOINTS REMAIN FULL OF A SOLID JOINTING COMPOUND.

COLOR - The color of the jointing material can make a big difference in the look of your finished project.







BLACK SAND

TAN SAND

GREY SAND

PROJECT MANAGEMENT TIPS

1 BUDGET

If your project is large or budget is a concern, you may choose to ask your contractor to provide **good/better/best versions** of the budget, perhaps a budget that phases your project into several stages or one that offers special features such as a fireplace or pergola as a separate add on option. Some contractors can even offer **financing** so you don't have to pay for your project right away. Once you decide how you want to proceed, be sure to get a signed contract that reflects this agreed budget and the contractor's payment terms.

2 | TIMELINE

Be sure to tell your contractor if there are any times that workers cannot be on the site and whether there is a **deadline** by which the project absolutely must be completed. Rainy weather sometimes impacts the timing of projects, so be sure to understand what happens in the event of a delay.

3 | WAYS OF WORKING

Your contractor's crew will be on your property on a daily basis. Be sure to agree to **ground rules** before the project begins. What time will work begin and end each day? What is their daily clean up routine? Where will products and equipment be stored on the site? Will the team work weekends? Will they require access to your home or garage during the project?



4 | BEING NEIGHBORLY

It's generally a good idea to let your immediate neighbors know about your project in advance so they can prepare themselves for a bit of noise and dust. You may even consider a small token of thanks for their understanding; it could go a long way to making them more forgiving of any disruption your project may cause.

5 | COMMUNICATION

Throughout your project make sure you and your contractor have open lines of communication. Establish in advance **who to contact if you have concerns** and how often you'd like your contractor to provide you with updates. If you notice something that doesn't look right on your project, be sure to let your contractor know right away. If a correction needs to be made, it's better to make the change early on.

6 | CHANGES

Unfortunately, even the best managed projects occasionally run into unplanned circumstances or last minute design changes. Be sure to understand the contractor's procedure for handling these changes and how they will affect the final price of your project.

7 | PROJECT WRAP UP

Once you've done a final inspection of your completed project, if you're happy with the work, be sure to **recommend your contractor** to friends and neighbors. If you can, write a favorable online review. And don't forget to **register for your Unilock* product warranty at Unilock.com!**

Don't forget to **register** for your Unilock product warranty at **Unilock.com!**











SELECT

CHOOSING THE PERFECT PRODUCT


Choose from our vast array of styles - everything from pavers cast from actual cobblestones found in historic European village streets, to the sleek modern lines and random color dispersion of granite-like slabs.

ENDURACOLOR™ PLUS
ARCHITECTURAL FINISHES
ENDURACOLOR™

CLASSIC

PERMEABLE

VERTICAL DIMENSIONS





Patterns may not reflect bundle configurations. More laying patterns available at Unilock.com.



UMBRIANO°


The random dispersion of color and granite particles creates the beauty of Umbriano's unique mottled surface, which resembles the appearance of natural granite. Umbriano's non-slip, stain-resistant surface is an ideal selection for driveways, pool decks, patios, commercial plazas and offices.

30 x 60 x 7cm

SPECIAL ORDER

60 x 60 x 7cm

SPECIAL ORDER



10 x 40 x 7cm

SPECIAL ORDER

NOTE: Umbriano 24" and Random Bundle pavers are not suitable for vehicular applications.

20 x 40 x 7cm

40 x 40 x 7cm

20 x 20 x 7cm



EASYCLEAN™ STAIN RESISTANCE

An integral surface protection that allows for easier cleanup of spills when they happen, before a stain can develop.

COLORFUSION™ TECHNOLOGY

A proprietary technology that disperses color randomly to achieve the look of natural granite.







RICHCLIFF®

The modern, yet elegant, look of Richcliff will add a touch of class to any landscaping project. Its realistic embossed surface texture is cast from hundreds of natural stone surface textures to ensure a random natural appearance and it is up to four times stronger than ordinary poured concrete, making it an ideal choice for any application.



LARGE RECTANGLE 12 x 9 x 2³/₈" 30 x 22.6 x 6cm



SQUARE 9 x 9 x 23/8" 22.6 x 22.6 x 6cm



SMALL RECTANGLE 6 x 9 x 23/4" 15 x 22.6 x 6cm

RANDOM BUNDLE



REALA™ TECHNOLOGY

Ultra realistic textures are cast from natural stone, brick and historic cobblestones.

ULTIMA™ CONCRETE TECHNOLOGY

A proprietary manufacturing process that creates pavers and walls with up to four times the strength of poured concrete.



RICHCLIFF XL

NEW FOR 2016

Popular for its modern yet elegant look, Richcliff is now available in an extra-large slab. Up to four times stronger than ordinary poured concrete, Richcliff XL makes an excellent choice for driveways or any other application where the design calls for a large scale product.









DAWN MIST PEBBLE TAUPE

18 x 36 x 4"

18 x 36 x 2¾"

45 x 91 x 7cm

18 x 36 x 4"

45 x 91 x 10cm

SPECIAL ORDER

ULTIMA™ CONCRETE TECHNOLOGY

REALA™ TECHNOLOGY

and historic cobblestones.

A proprietary manufacturing process that creates pavers and walls with up to four times the strength of poured concrete.

Ultra realistic textures are cast from natural stone, brick

NOTE: Richcliff XL 7cm pavers are not suitable for vehicular applications.

Laying patterns available at Unilock.com.

12 x 36 x 2³/₄"

30 x 91 x 7cm



SENZO[™]

NEW FOR 2016

The unique colors and large size format make Senzo well-suited for contemporary designs, while the 8 x 8" size works well as accent banding in a wide variety of projects. The non-slip, stain-resistant surface is an excellent choice for driveways, outdoor kitchens, patios, pool decks, walkways and more.














BELGIAN BLUE



BASALT / BELGIAN BLUE BLENDED ON SITE





DAWN MIST

PEBBLE TAUPE

DAWN MIST / PEBBLE TAUPE BLENDED ON SITE

LAYING PATTERN - RANDOM BUNDLE

 $\textit{Patterns may not reflect bundle configurations. More laying patterns available at \textit{Unilock.com}.}$



COURTSTONE®

Bring a sense of old-world Europe to your design with Courtstone. The unsurpassed strength and realistic texture create an everlasting product which is ideal for driveways and accents.



XL RECTANGLE 51/8 x 83/8 x 23/8" 13 x 21.5 x 6cm



LARGE RECTANGLE 51/8 x 71/4 x 23/8" 13 x 18.5 x 6cm



RECTANGLE 51/8 x 61/2 x 23/8" 13 x 16.5 x 6cm



SMALL RECTANGLE 51/8 × 53/4 × 23/8" 13 × 14.5 × 6cm



SQUARE 51/8 x 51/8 x 23/8" 13 x 13 x 6cm

RANDOM BUNDLE - ALL UNITS




REALA™ TECHNOLOGY

Ultra realistic textures are cast from natural stone, brick and historic cobblestones.

ULTIMA™ CONCRETE TECHNOLOGY

A proprietary manufacturing process that creates pavers and walls with up to four times the strength of poured concrete.






HERITAGE CLAY

HERITAGE 2 COLOR BLEND BLENDED ON SITE

Patterns may not reflect bundle configurations. More laying patterns available at Unilock.com.

HERITAGE RED

BASALT



TOWN HALL

With more substantial proportions than Copthorne®, Town Hall is cast from original brick street pavers and offers a distressed, time-worn appearance. As well, with Unilock's ever-increasing focus on permeable pavers, Town Hall has been designed to satisfy both traditional and permeable installation methods.



31ANDARD 4 x 9¾ x 2¾" 10 x 25 x 7cm





Town Hall can be used in **permeable** or non-permeable installations.


REALA™ TECHNOLOGY

Ultra realistic textures are cast from natural stone, brick and historic cobblestones.

ULTIMA™ CONCRETE TECHNOLOGY

A proprietary manufacturing process that creates pavers and walls with up to four times the strength of poured concrete.







COPTHORNE

Reminiscent of the brick pavers used in old European cities, towns and villages, Copthorne is a virtually indestructible paver that will not split, crack or fade. Crafted using a special forming process, each piece is uniquely altered, yet the dimensions are consistent for easy, efficient installation.



STANDARD 2½ x 7½ x 2¾" 6.5 x 20 x 6cm




REALA™ TECHNOLOGY

Ultra realistic textures are cast from natural stone, brick and historic cobblestones.

ULTIMA™ CONCRETE TECHNOLOGY


A proprietary manufacturing process that creates pavers and walls with up to four times the strength of poured concrete.




UNIGRANITE®

Manufactured with real granite chips, Unigranite gives you the ability to add majesty and character to your design. Hand split or saw-cut, it provides a unique accent.







DARK CHARCOAL


A - 100% SMALL SQUARE

B - 100% SMALL SQUARE

Patterns may not reflect bundle configurations. More laying patterns available at <u>Unilock.com</u>.



SMALL SQUARE 4 x 4 x 2¾" 10 x 10 x 7cm



SERIES 3000°

A sophisticated paver with a high-performance surface made from a combination of granite and quartz aggregates. Perfect for residential or commercial driveways, walkways and patios.



CRYSTAL ROSE



6 x 12 x 2¾" 15 x 30 x 7cm



ICE GREY



MOUNTAIN MIST NEW FOR 2016



BLACK GRANITE



ARTLINE SIZE - BLACK GRANITE See page 79 for more information.

Laying patterns available at Unilock.com.



12 x 12 x 2¾" 30 x 30 x 7cm





15 x 15 x 7cm



10 x 20 x 7cm Available in Black Granite only



77







PLATINUM





UMBRIANO* FINISH - MIDNIGHT SKY SPECIAL ORDER. MINIMUM QUANTITIES APPLY

SERIES 3000* FINISH - BLACK GRANITE SPECIAL ORDER. MINIMUM QUANTITIES APPLY


IL CAMPO* FINISH - GRANITE BLEND SPECIAL ORDER. MINIMUM QUANTITIES APPLY

Laying patterns available at Unilock.com.



ARTLINE[™]

The long, clean lines of Artline reflect an emerging trend to minimalist, modern outdoor designs. Look for Artline in an exclusive number of colors and textures that can be used separately or combined together to create graphic interest.



ENDURACOLOR



AVANTE ASHLAR

This unique ashlar design incorporates several random shapes with varying textures into one module, giving you a natural stone appearance that is quick and easy to install.







RANDOM BUNDLE

SIERRA

Laying patterns available at Unilock.com.

UNIT A 11½ x 19 x 2¾" 29 x 48.5 x 7cm

11½ x 19 x 2¾" 29 x 48.5 x 7cm UNIT C 11½ x 19 x 2¾" 29 x 48.5 x 7cm

11½ x 19 x 2¾" 29 x 48.5 x 7cm

ENDURACOLOR



BEACON HILL FLAGSTONE

Its soft blended colors and subtle surface design gives Beacon Hill Flagstone a relaxed historic look and feel, making it ideal for almost any landscape project you can imagine.













SIERRA

SLATE BLUE

SYCAMORE

PLATINUM NEW FOR 2016

.

Laying patterns available at Unilock.com.



RANDOM BUNDLE

LARGE RECTANGLE 21 x 14 x 2¾" 54 x 36 x 6cm










SMALL RECTANGLE 7 x 14 x 2¾" 18 x 36 x 6cm



NOTE: Beacon Hill pavers are not suitable for vehicular applications.







IL CAMPO®

Exclusive to Unilock*, Il Campo features irregular lines brushed across each paver. Its detailed look is striking, and gives you the ability to create unique geometric and random patterns.



RANDOM BUNDLE

RIVER AND SIERRA

13¾ x 16½ x 2¾" 35 x 42 x 7cm MEDIUM RECTANGLE 13¾ x 8¼ x 2¾" 35 x 21 x 7cm



SMALL RECTANGLE 6% x 8¼ x 2¾" 17.3 x 21 x 7cm

MOCHA AND DARK CHARCOAL



4 x 8 x 2¾" 10 x 20 x 7cm



4 x 8 x 2¾" 10 x 20 x 7cm

COFFEE CREEK AND HERITAGE BROWN ALL UNITS SPECIAL ORDER EXCEPT HERITAGE BROWN AND DARK CHARCOAL 6 X 8"



12 x 12 x 2¾" 30 x 30 x 7cm



 $4 \times 12 \times 2\frac{3}{4}$ " 10 x 30 x 7cm



6 x 8 x 2¾" 15 x 20 x 7cm



6 x 8 x 2¾" 15 x 20 x 7cm RANDOM BUNDLE




6 x 6 x 2¾" 15 x 15 x 7cm



4 x 6 x 2¾" 10 x 15 x 7cm





THORNBURY

Thornbury's modestly textured surface and three compatible sizes allow for a pleasing random look and feel. This product is ideal for driveways, patios, walkways and more.





BAVARIAN SIERRA

SYCAMORE

Laying patterns available at Unilock.com.



RANDOM BUNDLE

LARGE RECTANGLE 13% x 16½ x 2%" 35 x 42 x 7cm



MEDIUM RECTANGLE 13¾ × 8¼ × 2¾" 35 × 21 × 7cm



SMALL RECTANGLE 6% × 8¼ × 2¾" 17.3 × 21 × 7cm





Thornbury can be used in **permeable** or non-permeable installations.



TREO[™] PREMIER

Similar in appearance to Beacon Hill Flagstone™, but in a smaller format with EnduraColor.



RIVER TREO PREMIER

ENDURACOLOR



SIERRA TREO PREMIER ENDURACOLOR"

TREO CLASSIC

Treo's smaller sizes provide added flexibility for smaller projects.



COFFEE CREEK TREO CLASSIC



RIVER TREO CLASSIC

Laying patterns available at Unilock.com.



LARGE RECTANGLE 13¼ x 8% x 2%" 33.75 x 22.5 x 6cm



SQUARE 8% x 8% x 2%" 22.5 x 22.5 x 6cm



SMALL RECTANGLE 4½ x 8½ x 2½" 11.25 x 22.5 x 6cm

NEW FOR 2016

Treo Premier is EnduraColor Facemix. Treo Classic is Standard Thrumix. See page 46 for detailed descriptions.





 $\textit{Patterns may not reflect bundle configurations. More laying patterns available at \textit{Unilock.com}.}$



BRUSSELS BLOCK®

Introduced by Unilock®, Brussels Block is the original tumbled paver. Its timeless warmth, relaxed appearance and tumbled finish reflect the design cues of quarried stone.



XL STONE 8¼ x 13¾ x 2¾" 20.8 x 34.8 x 7cm



STANDARD STONE 6% × 8¼ × 2¾" 17.3 × 20.8 × 7cm



HALF STONE 4% × 6% × 2¾" 10.4 × 17.3 × 7cm





CAMELOT™ & TUMBLED CAMELOT™

A multi paver system with a profile that is slightly rounder than traditional pavers, for a cobblestone look. Available in both a classic and tumbled finish.



AUTUMN RED CLASSIC FINISH



COFFEE CREEK
CLASSIC AND TUMBLED FINISH



CLASSIC AND TUMBLED FINISH


Laying patterns available at Unilock.com.



RECTANGLE 6 x 9 x 2%" 15 x 22.5 x 6cm



SQUARE 6 x 6 x 2¾" 15 x 15 x 6cm



STONEHENGE°

Immediately after Stonehenge is installed, it will look like it has been there for years thanks to the beauty of its aged, weathered appearance.



COFFEE CREEK



LARGE SQUARE 12 x 12 x 2¾" 30 x 30 x 7cm



RIVER




RECTANGLE 6 x 12 x 2¾" 15 x 30 x 7cm



SMALL SQUARE 6 x 6 x 2¾" 15 x 15 x 7cm



Laying patterns available at Unilock.com.



HOLLANDSTONE

The design flexibility, scope of color, simple rectangle shape and ease of installation contribute to Hollandstone's widespread appeal.









CHARCOAL

COFFEE CREEK

RIVER

ROOTIO RED

Laying patterns available at Unilock.com.



STANDARD 4 x 8 x 23/8" 10 x 20 x 6cm



HOLLAND PREMIER[™]

An excellent choice for both residential and commercial installations. Its color-fastness comes from a specialized face-mix which is molded into the surface of the stone.



Laying patterns available at Unilock.com.



ENDURACOLOR



ECO-PRIORA

Eco-Priora is a permeable paver that features the II Campo* textured surface with EnduraColor for an attractive look that will last. It's the perfect solution for residential or commercial installation. Designed with special spacer bars, the resulting 7mm gap is filled with a clear, fine stone chip that allows the rapid penetration of rainwater into the sub-base and subsoil.



HERITAGE BROWN IL CAMPO "BRUSHED" FINISH SPECIAL ORDER



SIERRA IL CAMPO "BRUSHED" FINISH SPECIAL ORDER



RIVER STANDARD FINISH

Laying patterns available at Unilock.com.



LARGE SQUARE 10 x 10 x 31/8" 24 x 24 x 8cm SPECIAL ORDER



RECTANGLE 5 x 10 x 31/s" 12 x 24 x 8cm SPECIAL ORDER



LARGE SQUARE
10 x 10 x 31/2"
24 x 24 x 8cm
SPECIAL ORDER



RECTANGLE 5 x 10 x 31/8" 12 x 24 x 8cm

ENDURACOLOR



Eco-Priora can be manufactured in a variety of custom colors and textures. Minimum quantities may apply. Please contact your Unilock* representative for more details.



ECO-OPTILOC

The permeable paver of choice for performance and as an environmental solution for drainage. The patented "L" shaped design allows you to achieve a superior lock-up that can withstand even the heaviest of loads residentially and commercially. The innovative design creates small voids between the pavers, providing drainage into the sub-base and ultimately the water table.



NATURAL



IXIV LI

Laying patterns available at Unilock.com.



STANDARD 10¼ x 10¼ x 3⅓8" 26 x 26 x 8cm



Eco-Optiloc can be manufactured in a variety of custom colors and textures. Minimum quantities may apply. Please contact your Unilock® representative for more details.



RIVENSTONE

Combines the durability of concrete with the character and flexibility of natural stone. It's an ideal choice for walkways, courtyards, pool surrounds, terraces and patios.



Laying patterns available at Unilock.com.





18 x 24 x 1¾" 45 x 60 x 4.5cm



18 x 18 x 1¾" 45 x 45 x 4.5cm

CANYON



12 x 24 x 1¾" 30 x 60 x 4.5cm



12 x 12 x 1¾" 30 x 30 x 4.5cm

STONEMARK

REALA™ TECHNOLOGY

Ultra realistic textures are cast from natural stone, brick and historic cobblestones.

BLUESTONE

24 x 24 x 1¾"

60 x 60 x 4.5cm



YORKSTONE[™]

Blends the time-tested charm of natural fossilized flagstone with the durability and consistency of concrete. Earthy color tones result in a product that is rich in both appearance and character.



Laying patterns available at Unilock.com.



24 x 24 x 1¾" 60 x 60 x 4.5cm



18 x 24 x 1¾" 45 x 60 x 4.5cm



12 x 24 x 1¾" 30 x 60 x 4.5cm

STONEMARK

REALA™ TECHNOLOGY

Ultra realistic textures are cast from natural stone, brick and historic cobblestones.




NATURAL STONE

The Unilock® commitment to uncompromising quality and lifetime guarantee, now extends to an impressive array of premium Natural Stone from Europe and Asia.



SPEAK TO YOUR CONTRACTOR OR A LOCAL UNILOCK AUTHORIZED DEALER FOR MORE INFORMATION AND AVAILABILITY.



PORCELAIN TILE

For special applications such as concrete overlay steps, porches, patios, balconies or roof decks, Porcelain Tile from Unilock® is a new attractive option.

♦ DELCONCA





EPOKAL BEIGE SCURO



DAVINCI DRIFTWOOD



EPOKAL GREY



GOTHAM NERO



EPOKAL BEIGE



GOTHAM BEIGE



TRAVSTONE BEIGE



GOTHAM GREY



TRAVSTONE NOCE





BEOLA BIANCA



GRAUSTEIN




GOLDEN TAN

SPEAK TO YOUR LOCAL UNILOCK TERRITORY MANAGER FOR MORE INFORMATION ABOUT SIZES AND AVAILABILITY.










PLATINUM NEW FOR 2016

WALNUT
For more information visit Unilock.com.



LINEO DIMENSIONAL STONE

Contemporary and sleek lines with a linear multi-length plank look. Ideal for garden walls, pillars and other outdoor vertical elements, Lineo Dimensional Stone offers up modern design and exceptional flexibility.



For Lineo Dimensional Stone we recommend using Ledgestone 29 x 29" pillar cap. See page 111 for color options.

29 x 29 x 4"

PILLAR CAP

74 x 74 x 10cm

NEW FOR 2016

For coping options we recommend using Natural Stone (page 96) or Ledgestone (page 111).







BUFF



SHORT CORNER UNIT 12 x 9-10 x 2¼" 10 x 9-10 x 21/4" 31 x 23-25 x 6cm 25 x 23-25 x 6cm



COASTAL SLATE



COPING 22 x 11 x 21/4" 56 x 28 x 6cm



JUMPER CORNER UNIT 12 x 9-10 x 4½" 31 x 23-25 x 11.4cm

RAPID PILLAR SYSTEM



RIVERCREST FIREPIT KIT See page 119 for more information.

CORNER BUNDLE

LONG CORNER UNIT

For more information visit Unilock.com.



RIVERCREST WALL

Stacked flagstone has been used for centuries for small garden walls and pillars. With the award-winning Rivercrest Wall, you get the character and flexibility of natural stone combined with the durability and affordability of concrete.











STANDARD UNIT 1 8 x 9-10 x 21/4" 20 x 23-25 x 6cm

JUMPER UNIT 1

8 x 9-10 x 4½"

20 x 23-25 x 11.4cm

STANDARD UNIT 2 12 x 9-10 x 21/4" 31 x 23-25 x 6cm

STANDARD UNIT 3 12 x 9-10 x 21/4" 31 x 23-25 x 6cm

STANDARD UNIT 4 17 x 9-10 x 21/4" 42.5 x 23-25 x 6cm

RANDOM BUNDLE







12 x 9-10 x 4½"

31 x 23-25 x 11.4cm





JUMPER UNIT 3 12 x 9-10 x 4½" 31 x 23-25 x 11.4cm

JUMPER UNIT 4 17 x 9-10 x 4½" 42.5 x 23-25 x 11.4cm

JUMPER BUNDLE



In 2013, Rivercrest Wall received the "red dot" award for high design quality and innovation.

reddot www.registration.pd.red-dot.de

REALA™ TECHNOLOGY

Ultra realistic textures are cast from natural stone, brick and historic cobblestones.













LIMESTONE



SIERRA

For more information visit Unilock.com.

102



BRUSSELS DIMENSIONAL SYSTEM

Antique weathered appearance that mirrors the appearance of weathered natural stone. The beauty of Brussels Dimensional System, is its incredible flexibility to construct planter walls, steps, pillars, outdoor kitchens and many other landscape features.



15" UNIT 15 x 4 x 8" 38.1 x 10 x 20cm



12" UNIT 12 x 4 x 8" 30.5 x 10 x 20cm



9" UNIT 9 x 4 x 8" 22.9 x 10 x 20cm



RANDOM BUNDLE

STANDARD/CORNER 4 x 8 x 12" 10 x 20 x 30cm



(OPING 12 x 3 x 12" 30.5 x 7.6 x 30.5cm



SMALL TAPERED UNIT 9 x 4 x 8" 22.9 x 10 x 20cm






SUNSET FIREPIT KITS

Available Colors: Coffee Creek, Limestone, Sandstone, Sierra and River. See page 119 for more information.

Square











SYCAMORE

WALNUT

For more information visit Unilock.com.



ESTATE WALL

The unique, antique-textured finish creates the appearance of aged, natural rock. Create virtually any outdoor grill island, fireplace, seat wall, planter, step or pillar design with multiple sizes.



LARGE WEDGE 16 x 6 x 9" 40 x 15 x 22.8cm



MEDIUM WEDGE 12 x 6 x 9" 30 x 15 x 22.8cm



SMALL WEDGE 8 x 6 x 9" 20 x 15 x 22.8cm



LARGE WEDGE 14¾ x 3 x 9" 37.5 x 7.5 x 22.8cm

3" RANDOM BUNDLE



MEDIUM WEDGE 12 x 6 x 9" 30 x 7.5 x 22.8cm



SMALL WEDGE 8 x 6 x 9" 23 x 7.5 x 22.8cm

6" RANDOM BUNDLE



6" (ORNER 12½ × 6 × 9" 31.7 × 15 × 22.8cm



UNTUMBLED COPING 12 x 3 x 12" 30 x 7.5 x 30cm



3" (ORNER 12½ x 9 x 3" 31.7 x 7.5 x 22.8cm



PISA2°

The built-in setback design automatically forms the correct slope, ensuring a highly stable retaining wall. Utilizing the product's tapered components, you can form curved walls and steps.









GRANITE

RIVER

20 x 15 x 30cm

SANDSTONE

SIERRA







CORNER 12 x 6 x 8"

30 x 15 x 20cm




PISA COPING 12 x 3 x 12" 30 x 7.5 x 30cm XL UNIT 16 x 6 x 12" 40 x 15 x 30cm AVAILABLE IN RIVER,

SIERRA AND GRANITE.

For more information visit Unilock.com.

20 x 15 x 30cm



ROMANPISA°

A distressed appearance that gives the impression that it has been around for decades. Admired for its versatility, RomanPisa can be used to form straight or curved walls, planters and steps.







GRANITE RIVER SIERRA

TAPERED

8 x 6 x 12"

20 x 15 x 30cm



STANDARD 8 x 6 x 12" 20 x 15 x 30cm



CORNER 12 x 6 x 8" 30 x 15 x 20cm



ROMAN COPING 12 x 3 x 12" 30 x 7.5 x 30cm

For more information visit Unilock.com.



ROMANSTACK°

Whether your design calls for straight or winding walls, steps, planters, tree rings or fire pits, the tapered design of tumbled RomanStack makes almost anything possible.







GRANITE RIVER SIERRA



WEDGE UNIT 8 x 4 x 8" 20 x 10 x 20cm

For more information visit Unilock.com.



SPLIT'N STACK®

A favourite wall for light duty garden applications. The tongue-and-groove feature keeps perfect alignment. Create curved or straight garden walls, planters, firepits and water features.








GRANITE RIVER SIERRA



WEDGE UNIT 8 x 4 x 8" 20 x 10 x 20cm



SIENASTONE°

Bold and dramatic, SienaStone strikes an impressive profile when used for a wall or large outdoor staircase. An attractive solution for most heavy-duty load-bearing applications.











GRANITE

MAHOGANY ASH

NEVADA

NATURAL



STANDARD 925 39 x 7½ x 36½" 100 x 18.5 x 92.5cm NATURAL ONLY SPECIAL ORDER



STANDARD 500 39 x 7½ x 20" 100 x 18.5 x 50cm NATURAL ONLY




STANDARD 333 39 x 7½ x 13½" 100 x 18.5 x 33cm NATURAL ONLY SPECIAL ORDER



(OPING 39 x 7½ x 20" 100 x 18.5 x 50cm NATURAL ONLY



COPING 48 x 7¼ x 20" 120 x 18.5 x 50cm ALL COLORS





LEDGESTONE STEPS & COPING

Universal coping system with a remarkably natural yet refined appearance. Featuring pitched edges, Ledgestone can be used to cap almost any Unilock® landscape wall.





REALA™ TECHNOLOGY

Ultra realistic textures are cast from natural stone, brick and historic cobblestones.







GREY







COPING UNIT 12 x 24 x 3" 30.5 x 61 x 7.5cm

CLOSED END COPING 12 x 24 x 3" 30.5 x 61 x 7.5cm


FULLNOSE COPING 12 x 24 x 1¾" 30.5 x 61 x 4.5cm

36" LEDGESTONE STEP 36 x 18 x 6" 91.4 x 45.7 x 15.2cm

48" LEDGESTONE STEP 48 x 24 x 6" 122 x 61 x 15.2cm

72" LEDGESTONE STEP 72 x 24 x 6" 122 x 61 x 15.2cm





BRUSSELS FULLNOSE™ & DOUBLE FULLNOSE™ TUMBLED

Perfect for when a hard edge or corner is not part of your landscape plan. Smooth, rounded exposed edge, makes it ideal for the front of steps, edging around pools, and driveways or walkways.



COFFEE CREEK TUMBLED



LIMESTONE TUMBLED



MOCHA TUMBLED



SANDSTONE TUMBLED



SIERRA TUMBLED



STANDARD 6 x 12 x 2¾" 15 x 30 x 7cm



DOUBLE FULLNOSE $6 \times 12 \times 2\%$ " $15 \times 30 \times 7$ cm Not available in Mocha.



CLASSIC FULLNOSE™ & DOUBLE FULLNOSE™ UNTUMBLED

Perfect for when a hard edge or corner is not part of your landscape plan. Smooth, rounded exposed edge, makes it ideal for the front of steps, edging around pools, and driveways or walkways.



COFFEE CREEK UNTUMBLED



LIMESTONE UNTUMBLED



MOCHA UNTUMBLED



SANDSTONE UNTUMBLED



SIERRA UNTUMBLED



STANDARD 6 x 12 x 2¾" 15 x 30 x 7cm



DOUBLE FULLNOSE $6 \times 12 \times 2\%$ " $15 \times 30 \times 7$ cm Not available in Mocha.





VERTICAL FEATURES

FIREPLACES
PILLARS
GRILL ISLANDS
WATER FEATURES
FIRE FEATURES







FIREPLACES

Unilock* pre-built fireplaces are available to ship immediately and can be installed in a day, so you're able to enjoy a warm fire right away. The units come complete with a stainless steel firebox, pipe and metal termination cap, and are factory made so the look is consistent with the photos shown. Your satisfaction is guaranteed by Unilock.



VENTANA

SPECIAL ORDER

The Ventana pre-built fireplace is constructed with Lineo™ Dimensional Stone (page 99).



TUSCANY

The Tuscany pre-built fireplace is constructed from Brussels Dimensional System™ (page 103) and Copthorne® (page 75) accents.



BARCELONA

SPECIAL ORDER

The Barcelona pre-built fireplace is constructed from Brussels Dimensional System™ (page 103) and Umbriano® (page 65) accents or Richcliff (page 67) accents.



MODA

SPECIAL ORDER

The Moda pre-built fireplace is constructed from Lineo Dimensional Stone (page 99) and Series 3000* (page 77) accent.



BELLA

SPECIAL ORDER

The Bella pre-built fireplace is constructed from Rivercrest* Wall (page 101).



LOOKING FOR SOMETHING DIFFERENT? Speak to your contractor about using Unilock products to build a custom fireplace that's just right for your project.

PILLARS



BRUSSELS DIMENSIONAL SYSTEM™

This multi-level pillar, step and wall feature is built using Brussels Dimensional System (page 103) and Ledgestone™ coping and pillar cap (page 111). The accent paver used is Copthorne® (page 75).



LINEO™ DIMENSIONAL STONE

This modern pillar is built with Lineo Dimensional Stone (page 99) and Ledgestone coping and pillar cap (page 111). The accent paver used is Series 3000 (page 77).



RIVERCREST® PILLAR UNIT

The pillar shown above is the Rivercrest* Wall Pillar System (page 101) with Ledgestone pillar cap (page 111). The accent paver used is Copthorne (page 75).



BRUSSELS DIMENSIONAL SYSTEM

The pillar above is built with Brussels Dimensional System (page 103) and Ledgestone pillar cap (page 111) and Brussels Fullnose™ (page 112) coping. Series 3000® (page 77) accent.



ESTATE WALL®

This traditional pillar is built using Estate Wall (page 105) and Ledgestone pillar cap (page 111). The accent paver used is Copthorne (page 75).



LOOKING FOR SOMETHING DIFFERENT? Speak to your contractor about using Unilock products to build a custom pillar that's just right for your project.

GRILL ISLANDS



BRUSSELS DIMENSIONAL SYSTEM™

The grill island shown here is built with Brussels Dimensional System (page 103) and Ledgestone™ coping (page 111) The accent paver used is Series 3000® (page 77).





LINEO™ DIMENSIONAL STONE

This modern grill island is built using Lineo Dimensional Stone (page 99).



ESTATE WALL®

This multi-purpose grill island and bar table is built with Estate Wall (page 105). The accent paver is Il Campo® (page 83).




LOOKING FOR SOMETHING DIFFERENT? Speak to your contractor about using Unilock products to build a custom grill island that's just right for your project.

WATER FEATURES



BRUSSELS DIMENSIONAL SYSTEM™

The water feature shown here is built with Brussels Dimensional System (page 103) and Ledgestone™ coping (page 111). The accent paver is Series 3000® (page 77).




BRUSSELS DIMENSIONAL SYSTEM

The above water feature is built using Brussels Dimensional System (page 103) and both Brussels Fullnose™ (page 112) and Ledgestone coping (page 111). The accent paver is Copthorne® (page 75).



BRUSSELS DIMENSIONAL SYSTEM

This pool-side water feature is built using Brussels Dimensional System (page 103) and Ledgestone pillar cap (page 111).



LINEO™ DIMENSIONAL STONE

This modern water feature is built with Lineo Dimensional Stone (page 99) and Natural Stone coping (page 96). The accent paver used is also Lineo Dimensional Stone.



LOOKING FOR SOMETHING DIFFERENT? Speak to your contractor about using Unilock products to build a custom water feature or fire feature that's just right for your project.

FIRE FEATURES



RIVERCREST® WALL

This fire table is built using Rivercrest Wall (page 101) and Ledgestone™ coping (page 111).



BRUSSELS DIMENSIONAL SYSTEM™

This contemporary firepit feature is built with Brussels Dimensional System (page 103) and Ledgestone coping (page 111). The accent paver used is Copthorne® (page 75).

RIVERCREST FIREPIT KIT



This firepit kit is built with the Rivercrest Wall. See page 101 for color options.



FIREPIT GRILL

Firepit grill is included and fits securely into the firepit.

SUNSET FIREPIT KIT



FIREPIT GRILL

Firepit grill is included and fits securely into both the round or square firepit designs.

This firepit kit uses

color options.

Brussels Dimensional System. See page 103 for







BORDERS AND BANDING IDEAS FOR PAVERS



Richcliff* (Dawn Mist and Pebble Taupe) paver with Copthorne* (3 Color Blend) accent



Copthorne (3 Color Blend) paver with Brussels Block (Sandstone) accent



Brussels Block® (Sierra) with Copthorne (Basalt) accent



Umbriano* (Autumn Sunset) paver with Copthorne (3 Color Blend) accent



Courtstone* (Basalt, Belgian Blue and Dawn Mist) with Copthorne (3 Color Blend) accent



Richcliff (Dawn Mist and Pebble Taupe) with Courtstone (Basalt) accent



Umbriano (Summer Wheat) with Il Campo® (Heritage Brown and Dark Charcoal) accents



Beacon Hill Flagstone™ (Sierra) with Copthorne (3 Color Blend) and Series 3000® (Black Granite) accents



Richcliff (Dawn Mist) with Il Campo (Dark Charcoal) accent



Artline™ (Platinum) with Series 3000 (Black Granite) accent



Thornbury $^{\text{\tiny{TM}}}$ (Bavarian) with Town Hall $^{\text{\tiny{TM}}}$ (Basalt) and Brussels Block (Sandstone) accent



Brussels Block (Limestone) with Courtstone (Basalt) accent

BORDERS AND BANDING IDEAS FOR WALLS



Brussels Dimensional System $^{\text{\tiny{TM}}}$ (Sierra) with Copthorne * (3 Color Blend) accent and Ledgestone $^{\text{\tiny{TM}}}$ (Buff) coping.



Brussels Dimensional System (Sierra) with Unigranite* (Dark Charcoal) accent and Brussels Block* coping.



Rivercrest* Wall (Coastal Slate) with Copthorne (Basalt) accent and Ledgestone (Grey) pillar cap.



Brussels Dimensional System (Sandstone) with Il Campo® (Heritage Brown) accent and Brussels Fullnose™ (Sandstone) coping.



Estate Wall* (River) with Series 3000* (Black Granite) accent and Brussels Fullnose (Sandstone) coping.



Rivercrest Wall (Coastal Slate and Buff) with Series 3000 (Black Granite) accent and Ledgestone (Grey) coping.



 ${\sf Lineo^{tM}}$ Dimensional Stone (Platinum) with Series 3000 (Black Granite) accent and Ledgestone (Grey) coping.

INDEX

PRODUCT PHOTOS

PRODUCT PHOTOS	
Artline™	7910, 13, 34
Avante Ashlar™	80
Beacon Hill Flagstone™	81 .18, 23, 31
Brussels Block [®]	87 .12-13, 22, 39-40
Brussels Dimensional System™	1037, 11, 18, 23, 29-31, 40
Brussels Fullnose™ & Double Fullnose™	112 11, 18, 23, 31, 37
Camelot™ & Tumbled Camelot™	88
Copthorne [®]	75 11-13, 16, 33, 39-40
Courtstone*	71 7, 14-16, 18, 38, 40
Classic Fullnose™ & Double Fullnose™	113
Eco-Optiloc™	93
Eco-Priora [™]	92
Estate Wall*	1058-9, 26
Holland Premier™	91
$Hollandstone^{\scriptscriptstyle{TM}}$	90
Il Campo [*]	838-9, 18, 30
Ledgestone™	1118, 10-11, 15, 24-25, 28-30, 36-37
Lineo™ Dimensional Stone	9910, 25
Natural Stone	9620
Pisa2°	106
Porcelain Tile	97
Richcliff*	67 7, 15, 17, 19, 25-28, 33
Richcliff* XL	68
Rivercrest [®] Wall	10115, 17, 28-30, 36-38
Rivenstone™	94
RomanPisa*	107
RomanStack [®]	108
Senzo [™]	6930
Series 3000°	77 10-11, 13, 26, 30, 36-37
SienaStone [®]	110
Split'NStack [*]	109
Stonehenge*	89
Thornbury™	8411, 17, 25, 38
Town Hall™	73 22, 25, 32, 41
Treo™ Premier & Treo™ Classic	85
Umbriano*	65 6, 8-9, 20-21, 24, 29-30, 35-37

76

95

TOPICS OF INTEREST

Base Material	44
Bedding Sand	45
Borders and Banding	57 & 120-121
Classic	46
Construction	44
Contractor, Choosing	52
Edge Restraint	45
EnduraColor™	46
EnduraColor™ Plus	46
Environmental	45
Excavation	44
Facemix	46
Firepits	119 18, 37, 100, 103, 113
Fireplaces	1158, 17, 24, 33, 100
Grill Islands	1178-9, 26, 30, 33, 36, 99, 105
Joint Material	45 & 60
Maintenance	49
Outdoor Idea Center	58
Permeable Pavers	45
Pillars	11617, 23, 30-31, 40, 98, 100-102
Project Design	54
Project Management Tips	61
Quality	48
Retaining Walls	106-107 & 11028, 38, 75
Sealing	49
Technologies	48
3D Design	59
Thrumix	46
Warranty	123
Water Features	11825, 29-30, 102

Unilock Ltd. and Hengestone Holdings, Inc. are the owners or authorized users of all trademarks used in this publication unless otherwise specified.

Senzo $^{\text{\tiny{IM}}}$ and Umbriano $^{\text{\tiny{8}}}$ are trademarks of Metten Stein + Design GmbH & Co KG used under license by Unilock $^{\text{\tiny{8}}}$.

Measurements throughout this portfolio are nominal.

Not all products shown are available at all Unilock locations. Log on to Unilock.com for availability. *Colors shown in this catalog should be used only as a guide. Colors should always be chosen from actual samples. Contact your local Unilock representative for color availability in your area. ©2016 Hengestone Holdings, Inc.

Unigranite*

Yorkstone™

Quality FOR US, IT'S PERSONAL

ver 40 years ago, our founder stumbled upon a unique little European product called the Uni-Stone. Intrigued by the benefits of this revolutionary paving method, he decided to license the product and bring the concept to North America. He purchased a basic paver machine from Europe and hired a small staff to produce the stones.

Founder Ed Bryant - circa 1972

In those days, most sales of Unilock* were to large-scale commercial properties and streetscapes. Any lapse in quality would be costly and would jeopardize our owner's personal reputation. So quality was of paramount importance.

From these humble beginnings, through to the multinational company we are today, Unilock has remained a


family-owned company that puts quality first. For us, it's not just a matter of dollars and cents, it's our personal reputation that's on the line. Our customers - Homeowners, Contractors, Landscape Designers and Architects, across North America - can rely on us to supply them with quality product every time.

TRANSFERABLE LIFETIME GUARANTEE

We introduced the industry's first lifetime guarantee over 30 years ago. And while other manufacturers have tried to imitate it, you just have to see them side by side to get the difference. Theirs are padded with self-protecting fine print and stipulations. Ours is not. For us it's simple. We guarantee that you'll be satisfied with our products and their long-term performance.

Visit Unilock.com to download a copy of our fully transferable Lifetime Guarantee.





BOSTON (508) 278-4536

BUFFALO (716) 822-6074

CHICAGO (630) 892-9191 OHIO (330) 927-4000

MICHIGAN (248) 437-7037

MILWAUKEE (262) 742-3890 NEW YORK (845) 278-6700

ONTARIO (416) 646-9000 UNILOCK.COM | 1-800-UNILOCK

