



DISCOVER WHAT'S NEXT IN OUTDOOR LIVING





THERE'S YOU.

THERE'S THE SPACE AROUND YOUR HOUSE.

AND THEN THERE'S TREX®.

And with a little imagination, amazing things can happen in between.

As you'll see, Trex is more than just a creator of great decks with proprietary technology. In fact, the real possibilities begin when what you think you know turns into what you could never imagine. Tough-as-nails boards that become a perfect bench. Tropical deck colors that practically lull landlocked homes to the water's edge. Brilliant new storage ideas for making outdoor rooms even roomier.

We're all about knowing what's next, then inspiring you to make it yours with all the colors, options and configurations your dreams can handle.

Trex. It's for the unexpected.

Even our most specific features are engineered for beautiful outdoor living.



INDUSTRY-LEADING WARRANTIES

As the leader in outdoor living, it's only fitting that our decades-long warranties outlast all others.



SHELL TECHNOLOGY

Trex decks are wrapped in a high-performance shell that resists fade, stains, mold, mildew, insects and natural weathering.



FASTENERS

The Trex Hideaway® Hidden Fastening System is an option with groovededge boards for perfectly consistent spacing and no visible screws on top.



ALWAYS GREEN

Our products are made from recycled materials, and our processes?

As eco-friendly as they come.

CONTENTS

WELCOME TO TREX

6-9

TREX ELEVATIONS® STEEL DECK FRAMING



DESIGNING YOUR DECK

12-15



TREX TRANSCEND® DECKING & RAILING SYSTEM



TREX REVEAL® ALUMINUM RAILING & ALUMINUM GATES 20-21 DECKING



TREX ENHANCE®

22-23



TREX SELECT® DECKING & RAILING 24-25

TREX® FASCIA

28-29



TREX® OUTDOORLIGHTING™

30-31



TREX® SPIRAL STAIRS™



TREX® OUTDOORSTORAGE™



TREX® OUTDOOR FURNITURE™

TREX® PERGOLA™






TREX® RAINESCAPE® DECK DRAINAGE SYSTEM



SPECS & WARRANTIES

38-47





Trex was built upon green principles and values, from our innovative materials to our sustainable processes. In fact, in all our years in the decking and railing business, we haven't felled a single tree. **Not one.**

LARGEST PLASTIC RECYCLERS

IN THE U.S.

Trex saves -

400 MILLION POUNDS

of plastic and wood from landfills each year

ALL TREX DECKING

is made from

RECYCLED

MATERIALS

Our decking, in addition to reclaimed wood and sawdust, used to be plastic packaging. (With every 500-square-foot Trex deck containing over 140,000 recycled plastic bags, we happen to be one of the largest plastic recyclers in the U.S.) Most of our products are made almost completely from recycled materials, which means Trex saves 400 million pounds of plastic and wood from landfills each year.

Plus, Trex strives to make its proprietary manufacturing methods as green as possible. We recycle almost 100% of our factory refuse back into the manufacturing line, and some plant hydraulics are even powered by vegetable oil. So our decking, railing and steel deck framing contribute to LEED points on any building.


At Trex, we do the extra work to make everyone's leisure time that much more pleasurable. And we've been this way for more than 20 years—well before green was a buzzword.

Why?

Because, in the end, all of us want to look out on our decks and know that we've done our part.







1)

Size and Shape

Whether you need room for a grill or a row of chaise lounge chairs, you'll want to plan the size and shape of your deck around how you'll use it. And size has a big impact on deck cost, so be sure to use our **ONLINE COST CALCULATOR** tool for a helpful estimate as you plan.

2

Substructure

Though your deck is more than the sum of its parts, some of its parts have to do a little extra heavy lifting, and a sturdy substructure can ensure its stability. Consult our **DECK PLANNING BASICS PAGE** for critical checklists and considerations before getting started.



Select Your Decking

With so many colors and grain patterns available, this can be the hardest part of the decision-making process. Browse our inspiration galleries for some ideas, and **ORDER SAMPLE BOARDS** from **TREX.COM/SHOP** to look, feel, test and compare before you start building.



Choose Your Railing


Your railing design is arguably the best chance to let your style shine through and custom-tailor your outdoor aesthetic, so make sure you don't wait until the last minute to think about it. Our **RAILING IPAD APP** is the best resource for testing out your designs before getting started.



Add the Finishing Touches

Finally, it's time for the icing on the cake—the furniture, lighting, storage and other bits and bobs that make your deck truly yours. These accessories are designed to fit seamlessly with the rest of our decking and railing lines. Ready to build? You can find a **TREXPRO® CONTRACTOR** and your nearest Trex dealer on our website to take it from here.

Visit **trex.com/5steps** for more information on these important steps and a host of other resources to make your deck build easier.



Trex Elevations® Steel Deck Support Posts are manufactured and sold by M. Cohen and Sons, Inc., d/b/a The Iron Shop, under a Trademark License Agreement with Trex Company, Inc. Warranty provided by manufacturer.

Think about it: if you're going to invest in a long-lasting deck, don't you want its support to last just as long?

When you daydream about your dream deck, chances are you haven't given much thought to what lies beneath it. Even though your deck's substructure may not make the family photos, it's actually the most important part of your new outdoor space. Trex Elevations®, our system of durable, triple-coated steel beams, joists and tracks, creates the strongest, straightest and, yes, greenest structures down below.



High performance

- » Triple-coated steel offers consistency, durability and reliability that other materials can't
- » Rot- and termite-proof steel lasts much longer than wood
- » Non-combustible material with a Class 1A fire rating offers peace of mind
- » Rigorously tested for safety and chemical-free, unlike pressure-treated lumber
- » CCRR-0186 code compliance research report approves Trex Elevations for exterior use

CCRR - 0186

Perennial beauty

- » Precision engineering ensures surfaces remain flat over time
- » Unparalleled strength enables cantilevers and dramatic curved deck designs
- » Neutral finish blends with most decking colors making the substructure less visible from above
- » Longer spans allow for fewer posts and less obstructed views
- » Consistent dimensions mean a level run from house to edge

Trex through and through


- » Contains a minimum of 25% recycled steel and is a 100% renewable resource
- » Works beautifully with the Trex RainEscape drainage system
- » Backed by the Trex 25-Year Limited Residential Warranty*

STEADFAST STRUCTURAL SUPPORT, COMMERCIAL-GRADE DURABILITY

Whether you're looking to improve the longevity of your private deck or build a public walkway that can handle the public, Trex Elevations is the only steel deck framing system specifically engineered for outdoor use.


Trex Elevations

Designed for exterior use




Interior-Grade Steel Framing


Intended for interior use only





Due to increased risk of corrosion, Trex Elevations may not be installed (1) within 3,000 ft (914.4 m) of any body of salt water or (2) under the surface or within the splash zone of any body of fresh water. Any such installations shall void the Trex Limited Warranty.

* See warranty at trex.com









Classic White

RAILINGS

WHAT ALL THE BEST DECKS ARE WEARING

DESIGN

- ANY DUO YOU LIKE

FOR ANY HOUSE, ANY CLIMATE, ANY LOOK

Looking for even more options? Visit trex.com/railing to check out our railing galleries.

ISLAND





Coordinate It: Classic White rails with Island Mist cocktail rail, Classic White posts & Charcoal Black square aluminum balusters



Contrast It: Classic White rails, Classic White posts & Classic White composite balusters



Change It Up: Charcoal Black aluminum rails, Charcoal Black aluminum posts and Charcoal Black square aluminum balusters

HAVANA GOLD





Coordinate It: Charcoal Black rails with Havana Gold cocktail rail, Charcoal Black posts & Charcoal Black composite balusters



Contrast It: Charcoal Black aluminum rails, Change It Up: Vintage Lantern rails, Charcoal Black posts & Charcoal Black square Classic White posts & Charcoal Black round aluminum balusters



aluminum halusters

TIKI TORCH



Torch cocktail rail, Charcoal Black posts & Charcoal Black square aluminum balusters



Contrast It: Classic White rails, Classic White posts & Classic White composite balusters



Change It Up: Bronze aluminum rails Classic White posts & Bronze square aluminum balusters

SPICED RUM





Rum cocktail rail, Classic White posts & Classic White composite balusters



Vintage Lantern posts & Charcoal Black square aluminum balusters



Change It Up: Vintage Lantern rails, Classic White posts & Charcoal Black round aluminum balusters

LAVA ROCK





Coordinate It: Charcoal Black rails with Lava Rock cocktail rail, Charcoal Black posts & Charcoal Black round aluminum balusters



Contrast It: Classic White rails, Classic White posts & Charcoal Black round aluminum halusters



Change It Up: Charcoal Black aluminum rails, Charcoal Black posts & Charcoal Black square aluminum halusters

Railing is the most visible part of your deck. Why not treat it that way?



outperforms, outlasts, outdecks all others





UNPARALLELED BEAUTY

With high-traffic technology and a natural-looking wood-grain finish, Transcend decking is specially designed to look ageless—even decades after it is installed. Featuring rich, nature-inspired colors, our decking pairs seamlessly with our railing options to culminate in the deckscape of your dreams.

HASSLE FREE

No sanding. No staining. No painting.

No kidding. In fact, the only major piece of maintenance your Transcend decking and railing require is washing with soap and water or a pressure washer,* compliments of the protective Transcend shell technology.

FADE, STAIN, SCRATCH AND MOLD RESISTANT

Mother Nature's worst continues to bring out our best. Whether a nasty nor'easter or a scorching Arizona summer, Transcend maintains its vibrant color and luxurious finish. Same goes for man-made disasters. Wet planter pots, red-wine rings and dragged chaise lounges are no match for the Transcend fade-, stain-, scratch- and mold-resistant shell.

EARTH FRIENDLY

Transcend decking is made from 95% recycled materials, from reclaimed wood and sawdust to plastic packaging. And our railing contains at least 40% recycled material.

With a tough-as-nails protective shell, unrivaled low maintenance and wood-grain beauty to match, the one and only Transcend® decking is the ultimate expression of form and function. Pair it with our Transcend railing and you have an unmatched outdoor experience. Together they offer tons of design options, enabling you to put your signature on your outdoor living space with our signature luxury line.



Like what you don't see? Trex Hideaway Hidden
Fasteners are sub-surface clips that install our
decking boards without traditional deck screws,
leaving only a smooth, unfettered finish behind.

* See Care & Cleaning Guide at trex.com

TrexTranscend DECKING & RAILING SYSTEM



TRANSCEND DECKING

High performance

- » Engineered with unrivaled fade, stain, scratch and mold resistance
- » Hassle-free maintenance takes the work out of the weekend

Perennial beauty

- » Designed in a range of rich colors with a natural-looking grain pattern
- » Available in two distinctive styles—premium tropical colors and rich classic earth tones
- » Pairs with Trex Transcend railing in coordinating colors, plus Classic White and Charcoal Black

Trex through and through

- » Made from 95% recycled materials
- » Backed by the industry-leading Trex 25-Year Limited Residential Fade & Stain Warranty

TRANSCEND RAILING

High performance

- » Stands firm with a strong, sturdy look and feel
- » Built with the same incredible durability as Transcend decking—won't rot, warp or splinter

Perennial beauty

- » Modular components let you mix and match your customized look with any Trex railing line
- » Pairs perfectly with Transcend decking—also compatible with any decking line

Trex through and through

- » Contains a minimum of 40% recycled material
- » Backed by the Trex 25-Year Limited Residential Warranty

transcend with flying colors

DECKING

PREMIUM TROPICAL COLORS











Tropical colors are also available in a 2x6 profile

CLASSIC EARTH TONES












ORDER A DECK
BOARD SAMPLE
visit trex.com/shop




GET THE FLOORING LOOK

As an alternative to our traditional deck board, we offer an indoor-style, slanted grooved porch board for a virtually gap-free look. Porch boards are available in Gravel Path & Spiced Rum.

RAILING







Charcoal Black

Gravel Path

Vintage Lantern



minimalist style, maximum strength



Whether your favorite view is the city skyline, purple mountain majesties or galaxies far, far away, Trex Reveal® aluminum railing makes it a sight to behold. Sleek and minimalist, Reveal is specially crafted to complete your deck while emphasizing the view beyond it. Reveal is hallmark Trex, with sleek-yet-sturdy construction that easily spans long lengths for panoramic stretches. It can also be used across the entire Trex decking line, giving you a perfect stylistic alternative to pair with the deck of your dreams.



High performance

- » Aluminum possesses unparalleled strength with minimal geometry
- » Powder coating allows the aluminum to retain color and resist corrosion
- » Washes clean with soap and water for low maintenance
- » Offered with an array of bracket options for easy installation

Perennial beauty

- » Perfect for a sleek, contemporary aesthetic in any setting
- » Increases visibility to maximize scenic views
- » Monochromatic design works with all types of projects
- » Two baluster options (square and round) and two post choices (aluminum posts and composite post sleeves) available
- » Over-the-post option creates a continuously graspable handrail

Trex through and through

- » Compatible with all Trex decking lines—not to mention stone patios, concrete porches and more
- » Backed by the Trex Reveal Railing Limited Warranty
- » Contains a minimum of 40% recycled aluminum, a 100% renewable resource




THE STRENGTH OF TREX REVEAL—NOW IN A GATE

Designed to work with all Trex railing,
Trex aluminum gates offer an extra level of
safety and strength, so your whole family
can enjoy time on the deck.

- » Welded panel with slide-on posts makes installation fast and flexible
- » Customizable width to fit almost any opening maximum opening is 48"
- » Superior adjustable hinges and locking latch
- » Design options include three colors and two baluster profiles: Charcoal Black, Bronze and Classic White; and square and round balusters







Trex Enhance

even comfort has a cutting edge



Enhance® is our low-maintenance composite that offers all the charm and none of the trouble of real wood. With its high-definition grain pattern and hidden fasteners, Enhance features a rich, sophisticated finish at a value that only adds to its appeal.

High performance

- » High-performance shell is fade, stain and mold resistant
- » Cleans easily with just soap and water or a pressure washer*
- » Soft, splinter-free finish is comfortable underfoot


Perennial beauty

- » Versatile colors feature a refined wood grain that adds depth and luxury
- » Pairs beautifully with all Trex railing lines try either a one-color look or a completely unique mix

Trex through and through

- » 95% recycled plastic, wood and sawdust keeps it green
- » Backed by the industry-leading Trex 25-Year Limited Residential Fade & Stain Warranty









ORDER A DECK
BOARD SAMPLE
visit trex.com/shop

COMPATIBLE WITH ALL TREX RAILING

No outdoor living space is complete without railing that perfectly captures its surroundings. Enhance decks mix and match with all of our Trex railing lines. For complementary styles that will gain you plenty of compliments, check out trex.com for railing pairing suggestions.

UNFETTERED FINISH WITH TREX HIDEAWAY HIDDEN FASTENING SYSTEM

The innovative Trex Hideaway Universal Fasteners are an option with grooved-edge boards for perfectly consistent spacing and no visible screws on top.

EARTH FRIENDLY

We don't harvest rainforests to make Trex. In fact, we've never even chopped down a single tree. Enhance decking is made from recycled materials, from reclaimed wood and sawdust to plastic packaging.




For easier cutting, try Trex Blade™, the first saw blade specially designed for composite decking materials. You'll get cleaner cuts with no swirl marks and a longer cutting life.

* See Care & Cleaning Guide at trex.com



it's Trex, simplified





TREX SELECT DECKING

High performance

- » Stands up to both weather and weekend mishaps alike, thanks to its exclusive Trex shell
- » Cleans easily with just soap and water or a pressure washer*
- » Resists stains and mold better than early-generation composites

Perennial beauty

- » Easygoing colors pair smartly with any style home
- » Offers a soft, splinter-free finish that's comfortable underfoot

Trex through and through

» Backed by the industry-leading Trex 25-Year Limited Residential Fade & Stain Warranty

TREX SELECT RAILING

High performance

- » Won't warp, rot or splinter
- » Never needs painting or staining
- » Installs easily and quickly with an external bracket system

Perennial beauty

- » Mix and match Classic White rails and balusters with Trex post sleeves, post sleeve caps and post sleeve skirts in any of our seven colors
- » Versatile white complements any decking or house color to create luxe outdoor living spaces

Trex through and through

- » Designed for the DIY homeowner
- » Contains a minimum of 40% recycled material
- » Backed by the Trex 25-Year Limited Residential Warranty

With such an easy design scheme, Trex Select® decking and railing adds our legendary luxury to your home more affordably than ever. While Trex Select decking features our hallmark high-performance shell technology and nature-inspired colors, the complementary white railing is a simple solution for a clean finish. Now more than ever, you can complete your high-caliber

outdoor living system without compromise.



Winchester Grey







Railing in Classic White

* See Care & Cleaning Guide at trex.com
























- 1 Beaufort, South Carolina
 What could be chicer than a
 home-stair-deck match? Island
 Mist cocktail rail and stair
 treads, Charcoal Black square
 aluminum balusters and Classic
 White post sleeves and caps
 make the back door as glorified
 as the front.
- 2 Stratham, New Hampshire
 Sometimes all a deck needs
 is a little wayfinding. Our
 easily installed stair riser
 lights answer the call on these
 dramatically curved beauties.
- 3 Ojai, California Nothing says low-maintenance fun in the sun quite like a warm Enhance deck in Beach Dune with a Saddle perimeter.
- 4 Transcend decking in Island Mist introduces an entirely new and sophisticated neutral to our luxe tropical palette.
- 5 United Kingdom
 Who says decking has to
 be used for decking? Here,
 Transcend in Tiki Torch and
 Spiced Rum is being used to
 construct an innovative plante

- U.S. Virgin Islands
 Transcend decking and railing
 in Gravel Path lend a resortworthy touch of cool to any
 poolside retreat.
- Not only can Trex decking handle the withering lakeside weather, so can our Outdoor Furniture and railing too, like our Transcend in Classic White with view-worthy glass panels.
- The cool grey tones of this high-design Transcend deck in Island Mist give it a fierce modern edge.
- Durable Trex Reveal railing looks sharp in Bronze and is always up to double as a towel rack.
- 10 Monmouth Beach, New Jersey Trex Outdoor Furniture is as durable as it is inviting, servir as an elegant addition to any outdoor space.

- 11 Cleveland, Ohio
 Drama? Yes please. All 18
 Trex deck colors inspire
 innumerable combinations
 for borders, monograms and
 intarsia patterns. Rope Swin
 and Spiced Rum make an
- 12 Chantilly, Virginia
 Your nap—on a bench
 made of Trex Transcend deck
 boards, no less—suddenly
 needs a little afghan? Our
 new OutdoorStorage under
 cabinets hold everything you
 don't feel like walking inside
 to grab.
- Transcend decking in Spiced Rum makes any outdoor spa seem like an exotic vacation.
- appearance of tropical hardwood, Transcend


 New Jersey decking in Havana Gold evokes the tropics no viting, serving matter how far inland. dition to any







Trex Fascia

we have the edge on your deck



You've got your deck dreamed up from top to bottom, but what about the sides? With Trex Fascia you can make your outdoor space stand out from any angle, enhancing the beauty and value of your home. Engineered to last as long as the rest of your deck with virtually no fading or staining, our fascia and riser boards offer a finishing touch in 19 colors to perfectly match the entire high-performing Trex lineup.





High performance

- » Low maintenance, with no sanding, staining or painting required
- » Superior resistance to fade, stains, rot, mold and termites
- » Impact resistant for long-lasting beauty

Perennial beauty

- » Premium design matches any composite, wood or PVC decking
- » Trex Universal Fascia in White matches practically everything
- » Color fascia matches each Trex decking line: Transcend, Enhance and Select
- » Smart style offers a low sheen, natural wood-grain pattern

Trex through and through

- » Constructed from 95% recycled materials
- » Backed by the industry-leading Trex 25-Year Limited Residential Fade & Stain Warranty
- » Adds sophistication and value to your property


A SPECTRUM OF COLORS TO MATCH YOUR TREX DECKING



Universal Fascia

Trex Outdoor Lighting

the bright idea



With the right light, you can take any outdoor space from invisible to inviting. That's why Trex has expanded our lighting offering to cover the whole landscape. Trex[®] OutdoorLighting[™] enhances curb appeal with energy-efficient illumination that makes for safer nighttime strolls and impressive deckside ambience.

Best of all, the lights install in a snap and disappear into their surroundings for a truly sophisticated look.

High performance

- » Energy-efficient Cree® LEDs give off long-lasting illumination
- » Dimmable glow matches the mood of any outdoor party or dinner
- » Remains weather-proof and salt air resistant in the toughest climates
- » Offers total lighting control via timer and optional dimmer with remote

Perennial beauty

- » Sophisticated fixtures create custom lighting effects and designs
- » Ambient light improves the safety of paths and stairways
- » Out of sight during the day, beautiful light every night
- » Available in a variety of colors to complement any outdoor space

Trex through and through

- » Part of a complete Trex package
- » Trex LightHub® connection system makes set-up a snap for DIYers
- » Lighting builds into new decks and landscaping or retrofits into existing spaces
- » Keeps things green with 75% less energy usage than traditional incandescent lighting
- » Protected under warranty for years of outdoor use*

Both deck lighting and landscape lighting are compatible with the Trex LightHub connection system—a simple way to set up and control your lights.

DECK LIGHTING









LANDSCAPE LIGHTING









COMING SOON TO TREX.COM/SHOP

Order Trex Landscape Lighting or find a dealer near you on our website





SPIRAL STAIRS STORAGE

Trex Spiral Stairs

step up and stand out



Engineered to last, Trex® Spiral Stairs™ offer all of the space-saving advantages of traditional spiral staircases but with Trex signature style, strength and simplicity. And with a range of design options—like two material choices and custom, high-performance composite treads—the Trex Spiral Stairs system is the ultimate staircase alternative.



High performance

- » Strong and stable design maximizes tight outdoor spaces
- » Modular components make transport and installation easy
- » Assembles as a complete system with railing and supports included

Trex Spiral Stairs in Black & Spiced Rum

» Superior protection against the elements

Perennial beauty

- » Step treads can be capped with Trex high-performance composite to match your deck's color perfectly
- » Low maintenance with no painting necessary
- » Available in powder-coated aluminum in a range of colors or galvanized steel

Trex through and through

- » Made from up to 60% recycled materials
- » Non-combustible material offers peace of mind
- » Integrates easily with Trex OutdoorLighting riser lights
- » Backed by a 25-Year Manufacturer's Warranty*

Trex OutdoorStorage*

hide and chic



High performance

- » Engineered to withstand the elements and resist corrosion
- » Made with high-density, low-maintenance resin that won't warp or crack
- » Made from 100% water-resistant material

Perennial beauty

- » Natural-looking detailing, inspired by real teak
- » Customize the look with marble, granite or stone tops (purchased separately)

Trex through and through

- » Comes in all Trex Transcend tropical colors to impeccably match your deck
- » Available in a wide variety of sizes and storage options
- » Backed by a 25-Year Limited Manufacturer Warranty*

Mix the comforts of your indoor space with the natural beauty of your outdoor space. With Trex® Outdoor Storage™, add undeniable style and utility to your yard with storage that's easily matched to your deck and customized for your needs. From hidden ice drawers for a cool lemonade to drawer boxes for the kids' baseball gear, our storage solutions maximize your space by giving you extra room for all your backyard essentials.



^{*}Trex® Spiral Stairs™ are manufactured and sold by M. Cohen and Sons, Inc., d/b/a The Iron Shop, under a Trademark License Agreement with Trex Company, Inc. Warranty provided by manufacturer.

^{*}Trex® OutdoorStorage™ products are manufactured and sold by NatureKast Products, LLC., under a Trademark License Agreement with Trex Company, Inc. Warranty provided by manufacturer.

Trex Outdoor Furniture

deep-seated beauty

It's luxury, squared: comfortable, durable, sustainable furniture in a variety of styles and colors that coordinate with our decking and railing. Each piece features an ergonomic design superbly crafted with a splinter-free finish for smooth, elegant ease. Plus, true to form, 90% of Trex[®] Outdoor Furniture™ comes from recycled material. So it's used to being one with nature.



High performance

- » No staining, sealing, painting or refinishing—ever
- » Laughs off brutal sunbake and ignores withering salt spray
- » Stain-, spill- and rot-proof too

Perennial beauty

- » Distinctive colors you can mix and match with any decking or patio hardscape
- » Boasts ergonomic design and a splinter-free finish for all-day comfort
- » Colorful Sunbrella® cushions and pillows add flourish to
- » Signature Trex curves coordinate beautifully with our decks

Trex through and through

- » Unique signature designs, exclusive to Trex
- » Over 90% recycled materials keep things one with nature
- » Five-Year Limited Warranty means guaranteed weatherproofing*
- » The only Trex you get to keep when you move




Trex Pergola

above and beyond



Trex[®] Pergola[™] keeps outdoor living from feeling so...outdoors. Add a customizable pergola to your sun-soaked space and get a shady, sturdy retreat that won't crack, rot or chalk—virtually upkeep-free.





High performance

- » Resists rot, splitting, chalking and insects
- » Engineered to withstand winds up to 160 mph
- » Easy-to-install kits come complete with hardware and instructions

Perennial beauty

- » Premium designs in a wide range of options and customizable sizes, including round or square columns
- » Match your pergola to your deck with our signature Trex colors or create a custom color
- » Add a canopy for additional shade or rain protection
- » Available in attachable or free-standing profiles

Trex through and through

- » Backed by a Limited Manufacturer Warranty*
- » Built for the do-it-yourselfer or easily installed by
- » Get integrated illumination for your pergola with Trex OutdoorLighting



Sunbrella® is a registered trademark of Glen Raven, Inc.

^{*}Trex® Outdoor Furniture™ products are manufactured and sold by Poly-Wood, Inc. under a Trademark License Agreement with Trex Company, Inc. Five-Year Limited Warranty provided by manufacturer.

^{*}Trex® Pergola™ products are manufactured and sold by Home & Leisure, Inc., d/b/a Backyard America, under a Trademark License Agreement with Trex Company, Inc. Warranty provided by manufacturer.



outwits the elements



The unique Trex® RainEscape® under-deck drainage system keeps rain, spills and snow melt from dripping through the decking boards above,

High performance

- » Clever trough system whisks water out through its own gutters
- » No leaks, no sitting water
- » Installs easily with utility knife, staple gun

Perennial beauty

- » Invisible channeling system installs between an upstairs deck and downstairs
- » Enables the worry-free outfitting of entertainment systems, speakers and lighting

Trex through and through

- » Compatible with Trex Elevations
- » Backed by an industry-leading 20-Year Limited Residential Warranty*

creating a dry room below.



Trex RainEscape with Trex Elevations



You've flipped through galleries

Now it's time to see the real thing

ORDER DECK BOARD SAMPLES AT TREX.COM/SHOP







Compare samples to your siding

Feel the wood grain on your bare feet

Spill wine on them

THEN HEAD BACK TO OUR WEBSITE TO FIND YOUR **NEAREST TREX DEALER OR CONTRACTOR**


Trex Elevations

COMPONENT	DESCRIPTION	ITEM NUMBER
AMING COMPONENTS		
Track Actual dimensions: 1.25 in x 8.25 in x 12 ft / 16 ft / 20 ft (31 mm x 209 mm x 365 cm / 487 cm / 609 cm)	1.25 in x 8.25 in x 12 ft—Track 1.25 in x 8.25 in x 16 ft—Track 1.25 in x 8.25 in x 20 ft—Track	CG0Q0812ET60 CG0Q0816ET60 CG0Q0820ET60
Beam Actual dimensions: 2.125 in x 8.25 in x 12 ft / 16 ft / 20 ft (53 mm x 209 mm x 365 cm / 487 cm / 609 cm)	2.125 in x 8.25 in x 12 ft—Beam 2.125 in x 8.25 in x 16 ft—Beam 2.125 in x 8.25 in x 20 ft—Beam	CG020812EB20 CG020816EB20 CG020820EB20
Joist Actual dimensions: 1.625 in \times 8 in \times 12 ft $/$ 16 ft $/$ 20 ft $(41 \text{ mm } \times$ 203 mm \times 365 cm $/$ 487 cm $/$ 609 cm) Additional lengths are available by special order.	1.625 in × 8 in × 12 ft—Joist 1.625 in × 8 in × 16 ft—Joist 1.625 in × 8 in × 20 ft—Joist	CG020812EJ50 CG020816EJ50 CG020820EJ50
Beam End Cap	2.125 in x 8.125 in—Beam End Cap (40/box) [2.125 in x 8.125 in (53 mm x 206 mm) actual dimensions]	ELVENDCAP40
Adjustable Mid-Span Block	4 in x 9.875 in (10 sets) [4 in x 9.875 in (101 mm x 250 mm) actual dimensions]	ELVMIDSPANBLOCI
Adjustable Beam Block	5 in x 9.875 in (10 sets) [5 in x 9.875 in (127 mm x 250 mm) actual dimensions]	ELVBEAMBLOCK
Deck Support Post Actual dimensions: 3.5 in x 3.5 in x 10 ft (88 mm x 88 mm x 304 cm) 5.5 in x 5.5 in x 10 ft (139 mm x 139 mm x 304 cm)	3.5 in x 3.5 in x 10 ft—Deck Support Post 5.5 in x 5.5 in x 10 ft—Deck Support Post	www.trexdeckpost.c
Elevations Universal Connector Clip (glass-filled nylon with stainless steel screw)	50 sq. ft (4.6 sq. m) box	ELVUNIVCLIP
Elevations Start Clip (stainless steel with stainless steel screw)	400 sq. ft (37.2 sq. m) bag	ELVSTARTCLIP
Elevations-Approved Spray Paint Net weight 12 oz.	Available in Elevations grey only.	1-800-966-7580
ILING COMPONENTS (for use with Trex Elevations)		
Joist Mount Railing Post with Cap & Skirt	2.5" \times 2.5" \times 63" [2.5 in \times 2.5 in \times 63 in (63 mm \times 63 mm \times 160 cm) actual dimensions]	XXJMNTPOST63
Elevations Rail Post Blocking	10/box	ELVRAILPOSTBLOC
Elevations Fascia Mount Kit (for use with Elevations steel framing)	For use with Joist Mount Reveal Railing Post only.	XXFMNTELEV

Trex Decking, Porch Flooring & Fascia

Irex Decking, Porch Flooring & Fascia				
PROFILE	DESC	CRIPTION	ITEM NUMBER	COLORS
1" Square-Edge Board Actual dimensions: Transcend & Enhance: .94 in x 5.5 in x 12 ft / 16 ft / 20 ft	1 x 6 x 12' 1 x 6 x 16' 1 x 6 x 20'	Transcend Transcend Transcend	XX010612TS48 XX010616TS48 XX010620TS48	HG, IM, LR, SR, TT, FP, GP, RS, TH, V
(24 mm x 140 mm x 365 cm / 487 cm / 609 cm) Select: .82 in x 5.5 in x 12 ft / 16 ft / 20 ft (20 mm x 140 mm x 365 cm / 487 cm / 609 cm)	1 x 6 x 12' 1 x 6 x 16' 1 x 6 x 20'	Enhance Enhance Enhance	XX010612ES48 XX010616ES48 XX010620ES48	BD, CS, SD
	7/8 x 6 x 12' 7/8 x 6 x 16' 7/8 x 6 x 20	Select	XX010612SS64 XX010616SS64 XX010620SS64	MB, PG, SD, WG, WB
1" Grooved-Edge Board Actual dimensions: Transcend & Enhance: .94 in x 5.5 in x 12 ft / 16 ft / 20 ft	1 x 6 x 12' 1 x 6 x 16' 1 x 6 x 20'	Transcend Transcend Transcend	XX010612TG48 XX010616TG48 XX010620TG48	HG, IM, LR, SR, TT, FP, GP, RS, TH, V
(24 mm x 140 mm x 365 cm / 487 cm / 609 cm) Select: .82 in x 5.5 in x 12 ft / 16 ft / 20 ft (20 mm x 140 mm x 365 cm / 487 cm / 609 cm)	1 x 6 x 12' 1 x 6 x 16' 1 x 6 x 20'	Enhance Enhance Enhance	XX010612EG48 XX010616EG48 XX010620EG48	BD, CS, SD
	7/8 x 6 x 12' 7/8 x 6 x 16' 7/8 x 6 x 20	Select	XX010612SG64 XX010616SG64 XX010620SG64	MB, PG, SD, WG, WB
1" Grooved Porch Floor Board Actual dimensions: .94 in x 4.5 in x 12 ft / 16 ft (24 mm x 114 mm x 365 cm / 487 cm) Can also be used for decking applications.	1 x 4.5 x 12' 1 x 4.5 x 16'	Transcend Porch Transcend Porch	XX010512TP60 XX010516TP60	GP, SR
1" x 8" Fascia Actual dimensions: Transcend, Enhance, Select, Universal White:	1 x 8 x 12' 1 x 8 x 12' 1 x 8 x 12'	Transcend Enhance Select	XX010812TS60 XX010812ES60 XX010812SS60	HG, IM, LR, SR, TT, FP, GP, RS, TH, BD, CS, SD MB, PG, SD, WG, WB
7 in x 7.25 in x 12 ft (17 mm x 184 mm x 365 cm) 1" x 12" Fascia Actual dimensions: Transcend, Enhance, Select, Universal White: .7 in x 11.375 in x 12 ft (17 mm x 288 mm x 365 cm)	1 x 8 x 12' 1 x 12 x 12'	Transcend Enhance Select Universal White	XX011212TS40 XX011212ES40 XX011212SS40 WW011212ES40	WOOD GRAIN WHITE HG, IM, LR, SR, TT, FP, GP, RS, TH, BD, CS, SD MB, PG, SD, WG, WB WOOD GRAIN WHITE
2" Square-Edge Board	2 x 4 x 16'	Transcend	XX020416TS48	FP, GP, TH, VL
Actual dimensions: Transcend 2x4: 1.3 in x 3.4 in x 16 ft (33 mm x 86 mm x 487 cm) Transcend & Select 2x6: 1.3 in x 5.5 in x 12 ft / 16 ft / 20 ft	2 x 6 x 12' 2 x 6 x 16' 2 x 6 x 20'	Transcend Transcend Transcend	XX020612TS32 XX020616TS32 XX020620TS32	HG, IM, LR, SR, TT
(33 mm x 140 mm x 365 cm / 487 cm / 609 cm)	2 x 6 x 12' 2 x 6 x 16' 2 x 6 x 20'	Select Select Select	XX020612SS32 XX020616SS32 XX020620SS32	MB, PG, SD, WB
HG Havana Gold SR Spice XX = COLOR PREFIX: IM Island Mist TT Tiki To LR Lava Rock FP Fire P	orch RS Rope Swi	ng MB Made		le BD Beach Dune nester Grey CS Clam Shell lland Brown
TREX HIDEAWAY HIDDEN FASTENING SYSTEM	1	DESCRIPT	ION	ITEM NUMBER
Connector Clip (stainless steel) Gun Pail		6.5 m²) bucket	ollated pneumatic screw:	CONNECTCLIP CLIPPAIL GUNCLIP
Universal Starter Clip	400 sq. ft (3	7 m²) bag		UNIVSTARTCLIP
Universal Fastener (glass-filled nylon)	50 sq. ft (4.6 500 sq. ft (4	5 m²) box 6.5 m²) bucket		UNIVCONCLIP DA00002
Router Bit	Router Bit			ROUTBIT

XX = COLOR PREFIX: BK Charcoal Black BZ Bronze WT Classic White Powder-coated products have a textured finish.



Trex Post Sleeves, Caps & Skirts

O These components can be used as steps 1 & 2 for all Trex railing lines.

STEP	COMPONENT	DESCRIPTION	ITEM NUMBER
1	Post Sleeve	4" x 4" x 39" Post Sleeve [4.45 in x 4.45 in x 40 in (113 mm x 113 mm x 101 cm) external dimensions] 4" x 4" x 108" Post Sleeve [4.45 in x 4.45 in x 108 in (113 mm x 113 mm x 274 cm) external dimensions]	XX040439APS XX0404108APS
	l 6x6 post sleeve fits over a 4x4 ted post or equivalent post mount.	$6" \times 6" \times 39"$ Post Sleeve [5.5 in \times 5.5 in \times 39 in (139 mm \times 139 mm \times 990 mm) external dimensions] $6" \times 6" \times 108"$ Post Sleeve [5.5 in \times 5.5 in \times 108 in (139 mm \times 139 mm \times 274 cm) external dimensions]	WT060639APS WT0606108APS
2a Also available	Post Sleeve Cap with LED lighting. See page 44.	Flat 4" x 4" Post Sleeve Cap (12/box) Pyramid 4" x 4" Post Sleeve Cap (12/box) [4.55 in x 4.55 in (115 mm x 115 mm) internal dimensions] Flat 6" x 6" Post Sleeve Cap (12/box) Pyramid 6" x 6" Post Sleeve Cap (12/box) [5.55 in x 5.55 in (140 mm x 140 mm) internal dimensions]	XXSQCAP4X4 XXPYCAP4X4 WTSQCAP6X6 WTPYCAP6X6
2 b	Post Sleeve Skirt	4" x 4" Post Sleeve Skirt (12/box) [4.55 in x 4.55 in (115 mm x 115 mm) internal dimensions] 6" x 6" Post Sleeve Skirt (12/box) [5.55 in x 5.55 in (140 mm x 140 mm) internal dimensions]	XXSKIRT4X4 WTSKIRT6X6
ACCESSORY	Post Mount (IRC Compliant)	Aluminum Surface Mount Post for 36" (914 mm) Rail Height (1/box) Actual external dimensions of insert: 3.75 in x 3.75 in x 7 in (95 mm x 95 mm x 177 mm) Aluminum Surface Mount Post for 42" (1066 mm) Rail Height (1/box) Actual external dimensions of insert: 3.75 in x 3.75 in x 7 in (95 mm x 95 mm x 177 mm) Surface Mount Post Hardware—Wood (10 kits/box)	ALPOSTMOUNT36 ALPOSTMOUNT42 ALPOSTHWDECK
ACCESSORY	Joist Mount Railing Post (for use with 4x4 composite post sleeve)	2.5" \times 2.5" \times 63" [2.5 in \times 2.5 in \times 63 in (63 mm \times 63 mm \times 160 cm) actual dimensions]	CPJMNTPOST63
ACCESSORY	Foot Block	Adjustable Foot Blocks (50/box)—White Adjustable Foot Blocks (50/box)—Colored	RWFTBLK XXFTBLK
XX = CO	LOR PREFIX: WT Classic White FP Fire Pit BK Charcoal Black GP Gravel P	RS Rope Swing VL Vintage Lantern ath TH Tree House	

Trex Transcend Railing

• Transcend is either a 5-step or 3-step process. Choose Trex post sleeves, caps and skirts (steps 1 & 2). Then choose each component separately for a custom design (5-step).

STEP	COMPONENT		DESCRIPTION	ITEM NUMBER
3 a	Top & Bottom Rails In this step, two rails (1 top, 1 bottom) must be selected	i.	6' Crown Top Rail 8' Crown Top Rail	XXCROWNTR06 XXCROWNTR08
			6' Universal Top/Bottom Rail 8' Universal Top/Bottom Rail	XXUNIVTBR06 XXUNIVTBR08
3b			[6' Rail: 67.5 in (171 cm) actual length; 8' Rail: 91.5 in (232 cm) actual length]	
	Crown Universal			
4	Balusters/Spindles		Square Balusters for 36" Rail Height (16/pack) [1.418 in x 1.418 in x 30.375 in (36 mm x 36 mm x 771 mm) actual dimensions]	XX020230SBK
	See chart below for number of balusters needed to complete each railing section.		Square Balusters for 42" Rail Height (16/pack) [1.418 in x 1.418 in x 36.375 in (36 mm x 36 mm x 923 mm) actual dimensions]	XX020236SBK
			Colonial Spindles for 36" Rail Height (16/pack) [1.418 in x 1.418 in x 30.375 in (36 mm x 36 mm x 771 mm) actual dimensions]	WT020230CSP
BALUSTER TYPI	PER 6' PER 8' E SECTION SECTION		Colonial Spindles for 42" Rail Height (16/pack) [1.418 in x 1.418 in x 36.375 in (36 mm x 36 mm x 923 mm) actual dimensions]	WT020236CSP
	ial (Horizontal application) 13 18		Round Aluminum Balusters for 36" Rail Height (20/pack) [.75 in x 30.25 in (19 mm x 768 mm) actual dimensions]	XXTA30RBK
•	ial (Stair application) 11 15 zontal application) 15 20		Round Aluminum Balusters for 42" Rail Height (20/pack) [.75 in x 36.25 in (19 mm x 920 mm) actual dimensions]	XXTA36RBK
Aluminum (Stair	rapplication) 12 16 sters are available in Charcoal Black,		Square Aluminum Balusters for 36" Rail Height (20/pack) [.75 in x 30.25 in (19 mm x 768 mm) actual dimensions]	XXTA30SBK
	nd Bronze only (BK, WT, BZ).		Square Aluminum Balusters for 42" Rail Height (20/pack) [.75 in x 36.25 in (19 mm x 920 mm) actual dimensions]	XXTA36SBK
	Accessory Infill Kit		6' Accessory Infill Kit for Square/Colonial Balusters—Horizontal 6' Accessory Infill Kit for Square/Colonial Balusters—Stair	XXSQHIK06 XXSQSIK06
5	 2 Baluster Spacers Adjustable Foot Block Mounting Hardware 		8' Accessory Infill Kit for Square/Colonial Balusters—Horizontal 8' Accessory Infill Kit for Square/Colonial Balusters—Stair	XXSQSIKOO XXSQHIKO8 XXSQSIKO8
		6' Accessory Infill Kit for Round Aluminum Balusters—Horizontal 6' Accessory Infill Kit for Round Aluminum Balusters—Stair 8' Accessory Infill Kit for Round Aluminum Balusters—Horizontal	XXRDHIK06 XXRDSIK06 XXRDHIK08	
	[6' Rail: 67.5 in (171 cm) actual length;		8' Accessory Infill Kit for Round Aluminum Balusters—Stair 6' Accessory Infill Kit for Square Aluminum Balusters—Horizontal	XXRDSIK08 XXASBHIK06
			6' Accessory Infill Kit for Square Aluminum Balusters—Stair 8' Accessory Infill Kit for Square Aluminum Balusters—Horizontal 8' Accessory Infill Kit for Square Aluminum Balusters—Stair	XXASBIIIIOO XXASBSIKO6 XXASBSIKO8
	8' Rail: 91.5 in (232 cm) actual length]		6' Glass Panel Accessory Kit [Glass panel mounting hardware; glass panel not included]	XXGLIK06
ACCESSORY	Transcend Accessories All accessories include a quantity of 12 per box unless otherwise noted.		Mounting Hardware for Cut Rails—Horizontal Mounting Hardware for Cut Rails—Stair	XXHZACCYKIT XXSTACCYKIT
			Transcend RSB Bracket Pack—Horizontal (24/box) Transcend RSB Bracket Pack—Stair (24/box)	TSHBRACKET TSSBRACKET
			Degree Rail Gasket Pack—Horizontal Degree Rail Gasket Pack—Stair	XX00HGASK XX00SGASK
			22.5 Degree Gasket Pack 45 Degree Birdsmouth Gasket Pack (for 4 x 4)	XX22HGASK XX45RSBADAPK
			45 Degree Gasket Pack (for 6 x 6)	WT45HGASK

• Or simply choose a rail & baluster kit in Classic White (3-step).



6' x 36" Rail & Baluster Kit—Horizontal WT0636HRK 6' x 36" Rail & Baluster Kit—Stair WT0636SRK 8' x 36" Rail & Baluster Kit—Horizontal WT0836HRK WT0836SRK 8' x 36" Rail & Baluster Kit - Stair

[Actual dimensions: 6' Rail: 67.5 in x 36 in (171 cm x 914 mm); 8' Rail: 91.5 in x 36 in (232 cm x 914 mm)]

WT Classic White BK Charcoal Black FP Fire Pit GP Gravel Path RS Rope Swing TH Tree House

VL Vintage Lantern BZ Bronze (aluminum only)

XX = COLOR PREFIX:

Trex Select Railing

• Select is a 3-step process. Choose Trex post sleeves, caps and skirts (steps 1 & 2) and a rail & baluster kit (step 3).


STEP	COMPONENT	DESCRIPTION	ITEM NUMBER
3	Rail & Baluster Kit » Top Rail » Bottom Rail » Square Balusters » Adjustable Foot Block » Hardware Pack Available in Classic White only.	6' x 36" Rail & Baluster Kit—Horizontal 6' x 36" Rail & Baluster Kit—Stair 8' x 36" Rail & Baluster Kit—Horizontal 8' x 36" Rail & Baluster Kit—Stair [Actual dimensions: 6' Rail: 67.5 in x 36 in (171 cm x 914 mm); 8' Rail: 91.5 in x 36 in (232 cm x 914 mm)]	WT0636HSELK WT0636SSELK WT0836HSELK WT0836SSELK
ACCESSORY	Select Accessories	Mounting Hardware for Cut Rails—Horizontal (10 kits/box) Mounting Hardware for Cut Rails—Stair (10 kits/box) 45 Degree Adapter Kit (10 kits/box)	WTHSELCUT WTSSELCUT WTSEL45ADP

Trex Aluminum Gates

TICX / (IdiTillIdiTi Odices			
COMPONENT		DESCRIPTION	ITEM NUMBER
Gate Rail Kit	36" Rail Height,	Square Balusters, Adjustable up to 48" wide opening	XX36SQADJGATE
	36" Rail Height,	Round Balusters, Adjustable up to 48" wide opening	XX36RDADJGATE
Available in all Aluminum colors.	42" Rail Height,	Square Balusters, Adjustable up to 48" wide opening	XX42SQADJGATE
	42" Rail Height,	Round Balusters, Adjustable up to 48" wide opening	XX42RDADJGATE
		ail: 36 in (914 mm); 42" Rail: 42 in (106 cm) in (120 cm) but can be cut to fit any width.]	
Hardware Pack	· .	2 Adjustable Self-Closing Hinges	BKGATEHW
19		1 Locking Hasp With Keys	
	1 /Cm	Hardware for attachment to wood post with composite sleeve or aluminum posts	

Trex Aluminum ADA Compliant Handrail All Trex ADA handrail components are made of powder-coated aluminum. For detailed installation instructions, visit trex.com.

COMPONENT	ITEM NUMBER
Corner Mount	XXALADAICORNER
Post Return ("Candy Cane")	XXALADA180CCANE
5 Degree Elbow	XXALADA05ELB
31 Degree Elbow	XXALADA31ELB
34 Degree Elbow	XXALADA34ELB
36 Degree Elbow	XXALADA36ELB
90 Degree Elbow	XXALADA90ELB
Collar	XXALADACLR
Rail End Cap	XXALADACAP
90 Degree Wall Return	XXALADA90WR
Wall Mount	XXALADAWMNT
4 in (101 mm) Internal Connector	XXALINTCONN
1.375 in x 8 ft (34 mm x 243 cm) Hand Rail	XXALADARAIL8



Trex Reveal Aluminum Railing

• Choose either Reveal posts or Trex post sleeves, caps and skirts for steps 1 & 2. Pair with a rail & baluster kit (step 3).

STEP	COMPONENT	DESCRIPTION	ITEM NUMBER
	Aluminum Post with Cap & Skirt	2.5" x 2.5" x 37" Post—Horizontal (IRC Compliant)	XXAL252537RCAP
1+2	Aluminum Crossover Post	[2.5 in x 2.5 in x 37 in (63 mm x 63 mm x 939 mm) actual dimensions] 2.5" x 2.5" x 43" Post—Horizontal (IRC Compliant) [2.5 in x 2.5 in x 43 in (63 mm x 63 mm x 109 cm) actual dimensions]	XXAL252543RCAP
	Reveal aluminum posts fulfill steps $1\&2$. If using Trex post sleeves, refer to page 40 .	2.5" x 2.5" x 53" Post—Stair (IRC Compliant) [2.5 in x 2.5 in x 53 in (63 mm x 63 mm x 134 cm) actual dimensions]	XXAL252553RCAP
	Aluminum posts can only be used with the Trex Reveal line.	2.5" x 2.5" x 36" Crossover Post—Horizontal (IRC Compliant) [2.5 in x 2.5 in x 36 in (63 mm x 63 mm x 914 mm) actual dimensions]	XXAL252536RCCP
		2.5" x 2.5" x 42" Crossover Post—Horizontal (IRC Compliant) [2.5 in x 2.5 in x 42 in (63 mm x 63 mm x 106 cm) actual dimensions]	XXAL252542RCCP
	Aluminum Mounting Plate & Hardware	For use with 2.5" Aluminum Post and 2.5" Aluminum Crossover Post only.	ALPOSTHWDECK
	Joist Mount Reveal Railing Post with Cap & Skirt	2.5" \times 2.5" \times 63" [2.5 in \times 2.5 in \times 63 in (63 mm \times 63 mm \times 160 cm) actual dimensions]	XXJMNTPOST63
	Reveal Fascia Mount Kit (for use with wood framing)	For use with Joist Mount Reveal Railing Post only.	XXFMNTWOOD
3	Rail & Baluster Kit » Top Rail » Bottom Rail » Balusters » Mounting & Support Hardware	6' x 36" Rail Kit w. Square Balusters—Horizontal 6' x 36" Rail Kit w. Square Balusters—Stair 8' x 36" Rail Kit w. Square Balusters—Horizontal 8' x 36" Rail Kit w. Square Balusters—Stair 6' x 42" Rail Kit w. Square Balusters—Horizontal 6' x 42" Rail Kit w. Square Balusters—Stair	XXASO636HRK XXASO636SRK XXASO836HRK XXASO836SRK XXASO642HRK XXASO642HRK
		8' x 42" Rail Kit w. Square Balusters—Horizontal 8' x 42" Rail Kit w. Square Balusters—Stair 6' x 36" Rail Kit w. Round Balusters—Horizontal 6' x 36" Rail Kit w. Round Balusters—Stair 8' x 36" Rail Kit w. Round Balusters—Horizontal 8' x 36" Rail Kit w. Round Balusters—Stair 6' x 42" Rail Kit w. Round Balusters—Horizontal 6' x 42" Rail Kit w. Round Balusters—Stair 8' x 42" Rail Kit w. Round Balusters—Horizontal 8' x 42" Rail Kit w. Round Balusters—Horizontal 8' x 42" Rail Kit w. Round Balusters—Stair Dimensions above are actuals. See below for metrics. [6' x 36": 72 in x 36 in (182 cm x 914 mm) actual dimensions] [8' x 36": 96 in x 36 in (243 cm x 914 mm) actual dimensions]	XXAS0842HRK XXAS0842SRK XXAR0636HRK XXAR0636SRK XXAR0836HRK XXAR0842HRK XXAR0642HRK XXAR0642SRK XXAR0842HRK XXAR0842SRK
CESSORY	Reveal Accessories	[6' x 42": 72 in x 42 in (182 cm x 106 cm) actual dimensions] [8' x 42": 96 in x 42 in (243 cm x 106 cm) actual dimensions] Fixed Bracket—Horizontal (4/pack) Fixed Bracket—Stair (4/pack) Swivel Bracket—Horizontal (2/pack-1 top, 1 bottom) Swivel Bracket—Stair (2/pack-1 top, 1 bottom) 2.5" Swivel Crossover Bracket—Stair (1/pack) Compound Swivel Bracket (2/pack-1 top, 1 bottom) Aluminum Footblock Touch-up Pen	XXFHBKTAL XXFSBKTAL XXSWHBKTAL XXSWSBKTAL XX25RCSWSCBKT XXCPDSWBKTAL XXALFTBLK XXTOUCHUPPEN

XX = COLOR PREFIX: BK Charcoal Black BZ Bronze WT Classic White Aluminum railing has a textured finish.

LIGHTING & DESCRIPTION

ITEM NUMBER

LANDSCAPE LIGHTING

Rounded Path Light

Stepped Path Light

Well Light

Multifunction Light

Spotlight*



BKRDPATH2PK BZRDPATH2PK

BKSPATH2PK B7SPATH2PK

BKWELL. BZWELL

BKMULTI, BZMULTI

BKSPOT, BZSPOT

*Includes: 36v Step-up Transformer & Female to Female Adapter

DECK LIGHTING

Pyramid or Flat Post Cap Light

- » 4" x 4" LED Post Cap Light [4.55 in x 4.55 in (115 mm x 115 mm)
- » 5.5 ft (1.67 m) Male LightHub Lead



PYRAMID CAPS

BKPYLEDCAP4X4C WTPYLEDCAP4X4C FPPYLEDCAP4X4C THPYLEDCAP4X4C VLPYLEDCAP4X4C GPPYLEDCAP4X4C

FLAT CAPS BKSQLEDCAP4X4C WTSQLEDCAP4X4C FPSQLEDCAP4X4C THSQLEDCAP4X4C VLSQLEDCAP4X4C GPSQLEDCAP4X4C RSSQLEDCAP4X4C

TEXTURED CHARCOAL BLACK: BKLAMPLEDC

Deck Rail Light

- » LED Deck Rail Light [2.75 in (69 mm) OD]
- » 5.5 ft (1.67 m) Male LightHub Lead

LED Riser Lights

- » 4 LED Riser Lights [1.25 in (31 mm) OD]
- » 5.5 ft (1.67 m) Male LightHub Lead

Recessed Deck Lights

- » 4 LED Recessed Lights [1 in (25 mm) OD]
- » 5.5 ft (1.67 m) Male LightHub Lead



Transformer with Timer


- » Output Voltage: 12VDC
- » Output Power: 100W or 30W
- » Output Current: 8.3A or 2.5A
- » Photo-Activated Timer

» 20 ft (6.09 m) LightHub Wire Extension Cable



Dimmer

» Single Channel with Remote





LightHub Accessories

- » 6-Way Splitter
- » 5 ft (1.52 m) Wire Extension Cable
- » 10 ft (3.04 m) Wire Extension Cable
- » 20 ft (6.09 m) Wire Extension Cable
- » 40 ft (12.19 m) Wire Extension Cable
- » 60 ft (18.28 m) Wire Extension Cable » Female to Female Adapter



RSPYLEDCAP4X4C

TEXTURED BRONZE: BZLAMPLEDC TEXTURED CLASSIC WHITE: WTLAMPLEDC

TEXTURED CHARCOAL BLACK: BKRISERLED4PKC TEXTURED BRONZE: BZRISERLED4PKC TEXTURED CLASSIC WHITE: WTRISERLED4PKC

RECESSLED4PKC

8.3A, 100W: 83DLTRANSFORMER 2.5A, 30W: 25DLTRANSFORMER

DL5TFSPLIT1PK

DLDIMMER

DLBIT6PK

DL6SPLIT4PK DL5FTWR4PK DL10FTWR4PK DL20FTWR4PK DL40FTWR2PK

DL60FTWR1PK DLFADAP6PK

TRFX® I IMITED WARRANTY

Trex Company, Inc. (hereinafter "Trex") warrants to the original purchaser ("Purchaser") that, for the period of time set forth in the following sentence, under normal use and service conditions, Trex® products shall be free from material defects in workmanship and materials, and shall not split, splinter, rot or suffer structural damage from termites or fungal decay. The term of such warranty shall be twenty-five (25) years from the date of original purchase for a residential application, and ten (10) years from the date of original purchase for a commercial application. If a defect occurs within the warranty period, Purchaser shall notify Trex in writing and, upon confirmation by an authorized Trex representative of the defect, Trex's sole responsibility shall be, at its option, to either replace the defective item or refund the portion of the purchase price paid by Purchaser for such defective item (not including the cost of its initial installation).

Notwithstanding the foregoing, (a), the term of the warranty for the LED lights and housing for Trex[®] DeckLighting[™] shall be seven (7) years, the term of the warranty for the LED lights and housing for Trex[®] LandscapeLighting™ shall be five (5) years, and the term of the warranty for the dimmer, timer and transformer for both shall be three (3) years, in each case provided that a Trex transformer is used (with no warranty on any components if a Trex transformer is not used), and any other parts or accessories shall not be warranted; (b) with respect to hardware for the Trex Surroundings® gate (gate frame, hinges and screws), the term of the warranty shall be five (5) years, (c) with respect to Trex Decorative Balusters, the term of the warranty covering the paint coating shall be ten (10) years, and shall be prorated in the following manner: 100% replacement for the first five (5) years; and 50% replacement for the next five (5) years, and (d) this warranty shall not apply to Trex Elevations® steel deck framing, Trex Reveal® aluminum railing and TrexTrim™ (which each have separate warranties).

For purposes of this warranty, a "residential application" shall refer to an installation of the Product on an individual residence, and a "commercial application" shall refer to any installation of the Product other than on an individual residence.

THIS WARRANTY SHALL NOT COVER AND TREX SHALL NOT BE RESPONSIBLE FOR COSTS AND EXPENSES INCURRED WITH RESPECT TO THE REMOVAL OF DEFECTIVE TREX PRODUCTS OR THE INSTALLATION OF REPLACEMENT MATERIALS. INCLUDING BUT NOT LIMITED TO LABOR AND FREIGHT.

With respect to a residential application, this warranty may be transferred one (1) time, within the five (5) year period beginning from the date of original purchase by the Purchaser, to a subsequent buyer of the property upon which the Trex products were originally installed. With respect to a commercial application, this warranty is freely transferable to subsequent buyers of the property upon which the Trex products were originally installed.

To make a claim under this limited warranty, Purchaser, or the transferee, shall send to Trex, within the warranty period referred to above, a description of the claimed defect and proof of purchase, to the following address:

Trex Company, Inc. **Customer Relations** 160 Exeter Drive Winchester, VA 22603-8605

Trex does not warrant against and is not responsible for, and no implied warranty shall be deemed to cover, any condition attributable to: (1) improper installation of Trex products and/or failure to abide by Trex's installation guidelines, including but not limited to improper gapping; (2) use of Trex products beyond normal use and service conditions, or in an application not recommended by Trex's guidelines and local building codes; (3) movement, distortion, collapse or settling of the ground or the supporting structure on which Trex products are installed; (4) any act of God (such as flooding, hurricane, earthquake, lightning, etc.), environmental condition (such as air pollution, mold, mildew, etc.), staining from foreign substances (such as dirt, grease, oil, etc.), or normal weathering (defined as exposure to sunlight, weather and atmosphere which will cause any colored surface to gradually fade, chalk, or accumulate dirt or stains); (5) variations or changes in color of Trex products; (6) improper handling, storage, abuse or neglect of Trex products by Purchaser, the transferee or third parties; or (7) ordinary wear and tear.

No person or entity is authorized by Trex to make and Trex shall not be bound by any statement or representation as to the quality or performance of Trex products other than as contained in this warranty. This warranty may not be altered or amended except in a written instrument signed by Trex and Purchaser.

UNDER NO CIRCUMSTANCES WILL TREX BE LIABLE FOR SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES, WHETHER SUCH DAMAGES ARE SOUGHT IN CONTRACT, IN TORT (INCLUDING BUT NOT LIMITED TO NEGLIGENCE AND STRICT LIABILITY) OR OTHERWISE, AND TREX'S LIABILITY WITH RESPECT TO DEFECTIVE PRODUCTS SHALL IN NO EVENT EXCEED THE REPLACEMENT OF SUCH PRODUCTS OR REFUND OF THE PURCHASE PRICE, AS **DESCRIBED ABOVE.**

Some States or Provinces do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you. This warranty gives you specific legal rights, and you may also have other rights that vary from State to State or Province

Copyright © 2014 Trex Company, Inc.

TREX TRANSCEND®, TREX ENHANCE®, TREX SELECT® AND TREX® UNIVERSAL FASCIA LIMITED FADE & STAIN WARRANTY

For the term set forth below, Trex Company, Inc. (hereinafter "Trex") warrants to the original end-user purchaser (the "Purchaser") that Trex Transcend® decking, porch or fascia, Trex Enhance® decking or fascia, Trex Select® decking or fascia or Trex® Universal Fascia, as the case may be (the "Product") will perform, under normal use and service conditions, as follows:

Term of Warranty: The term of this warranty shall begin on the date of original purchase, and shall end (1) twenty-five (25) years thereafter for a residential application of the Product, and (2) ten (10) years thereafter for a commercial application of the Product.

Residential/Commercial Application: For purposes of this warranty, a "residential application" shall refer to an installation of the Product on an individual residence, and a "commercial application" shall refer to any installation of the Product other than on an individual residence.

Fade Resistance: The Product shall not fade in color from light and weathering exposure as measured by color change of more than 5 Delta E (CIE) units.

The Product is designed to resist fading. No material is fade proof when exposed to years of UV exposure and the elements. The Product is designed to resist fading, and will not in any event fade by more than 5 Delta E (CIE) units.

Stain Resistance: The Product shall be resistant to permanent staining resulting from spills of food and beverage items including ketchup, mustard, salad oils, tea, wine, coffee, fruit punch, barbeque sauce, grease, sodas and other food and beverage related items that would typically be present on a residential deck, or mold and mildew naturally occurring in the environment, provided that such substances are removed from the Product with soap and water or mild household cleaners within one (1) week of exposure of the food or beverage to the surface or first appearance of the mold and mildew.

Notwithstanding the foregoing, Trex does not warrant that the Product is stain-proof, and does not warrant stain resistance resulting from spilled or otherwise applied food and beverage substances which are not properly cleaned as provided above within one (1) week of exposure. In addition, materials not covered in the stain resistant warranty include abrasive compounds of acidic or basic pH, paints or stains, strong solvents, metallic rust or other abnormal deck use items, and non-food and non-beverage substances, including but not limited to, biocides, fungicides, plant food, or bactericides. Mold and mildew can settle and grow on any outdoor surface, including this Product. You should periodically clean your deck to remove dirt and pollen that can feed mold and mildew. This warranty does not cover mold and mildew which is not properly cleaned as provided above within one (1) week of first appearance.

Standard Trex Company Limited Warranty: This warranty is in addition to the standard Trex Company Limited Warranty that applies to all Trex products.

Transferability: With respect to a residential application, this warranty may be transferred one (1) time, within the five (5) year period beginning from the date of original purchase by the Purchaser, to a subsequent buyer of the property upon which the Trex products were originally installed. With respect to a commercial application, this warranty is freely transferable to subsequent buyers of the property upon which the Trex products were originally installed.

EXCLUSIONS FROM WARRANTY COVERAGE:

Exposure to Heat: Direct or indirect contact with extreme heat sources (over 275 degrees) may cause fading and may damage the surface of the Product, and any effects of such exposure are expressly excluded from coverage under this warranty.

Surface Damage: Never use metal shovels or sharp-edged tools to remove snow and ice on the surface of the Product. If the surface of the Product is damaged or punctured, this warranty will be voided.

Paint or Other Materials Applied to the Product: If paint or other coating materials are applied to the Product, this warranty will be voided.

Railing: This warranty does not cover Trex Transcend® or Trex Select® railing components.

Other Exclusions: This warranty shall not cover any condition attributable to: (1) improper installation of the Product and/or failure to abide by Trex's installation guidelines, including but not limited to improper gapping; (2) use of the Product beyond normal use or service conditions, or in an application not recommended by Trex's guidelines and local building codes; (3) movement, distortion, collapse or settling of the ground or the supporting structure on which the Product is installed; (4) any act of God (such as flooding, hurricane, earthquake, lightning, etc.); (5) improper handling, storage, abuse or third parties; (6) any fading or staining not on the walking surface of the Product (i.e., the underside or the ends of the Product); or (7) ordinary wear and tear.

Procedure for Making a Claim under this Warranty

In order to make a claim under this warranty, Purchaser must do the following:

1. If the Purchaser is making a claim relating to the warranty on stain resistance. Purchaser must do as follows:

(a) Purchaser must try to clean the affected area of the deck by using the cleaning procedures described above within one (1) week of exposure of the food or beverage to the Product or first appearance of the mold and mildew.

(b) If the affected area remains reasonably unsatisfactory after Purchaser has tried these cleaning procedures, then Purchaser must have the affected area of the deck professionally cleaned at Purchaser's expense.

(c) If the affected area remains reasonably unsatisfactory after the professional cleaning, Purchaser may make a claim under this warranty, provided that such claim is made within thirty (30) days after the professional cleaning.

2. To make a claim under this limited warranty, Purchaser, or the transferee, shall send to Trex, within the warranty period referred to above, a description and photographs of the affected area of the Product, proof of purchase, and if the claim relates to the warranty on stain resistance, proof of compliance with paragraph 1. above, to the following

Trex Company, Inc. Customer Relations 160 Exeter Drive Winchester, VA 22603-8605 3. Upon confirmation by an authorized Trex representative of a valid claim hereunder, Trex's sole responsibility shall be, at its option, to either replace the affected item or refund the portion of the purchase price paid by Purchaser for such affected item (not including the cost of its initial installation). Replacement material will be provided that is as close as possible in color, design and quality as the replaced material, but Trex does not guarantee an exact match as colors and design may change.

4. If a valid warranty claim hereunder is made during years eleven (11) through twenty-five (25) after the original purchase for a residential application, recovery will be prorated. If Trex is providing replacement materials, it may elect to replace the percentage listed below of boards otherwise meeting the requirements for a claim, or if it is refunding the purchase price, it may elect to refund the percentage listed below of the purchase price of boards otherwise meeting the requirements for a claim.

YEAR OF WARRANTY CLAIM	PERCENTAGE RECOVERY
11	80%
12	80%
13	80%
14	60%
15	60%
16	60%
17	40%
18	40%
19	40%
20	20%
21	20%
22	20%
23	10%
24	10%
25	10%

5. THIS WARRANTY SHALL NOT COVER AND TREX SHALL NOT BE RESPONSIBLE FOR COSTS AND EXPENSES INCURRED WITH RESPECT TO THE REMOVAL OF AFFECTED PRODUCT OR THE INSTALLATION OF REPLACEMENT MATERIALS, INCLUDING BUT NOT LIMITED TO LABOR AND FREIGHT.

UNDER NO CIRCUMSTANCES WILL TREX BE LIABLE FOR SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES, WHETHER SUCH DAMAGES ARE SOUGHT IN CONTRACT, IN TORT (INCLUDING BUT NOT LIMITED TO NEGLIGENCE AND STRICT LIABILITY) OR OTHERWISE, AND TREX'S LIABILITY WITH RESPECT TO PRODUCTS SHALL IN NO EVENT EXCEED THE REPLACEMENT OF SUCH PRODUCTS OR REFUND OF THE PURCHASE PRICE. AS DESCRIBED ABOVE.

Some States or Provinces do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you. This warranty gives you specific legal rights, and you may also have other rights that vary from State to State or Province to Province.

Copyright © 2013 Trex Company, Inc.

TREX REVEAL® RAILING LIMITED WARRANTY

Trex Company, Inc. (hereinafter "Trex") warrants to the original purchaser ("Purchaser") that, under normal use and service conditions, Trex Reveal® Railing (the "Product") shall, for a period of twenty-five (25) years from the date of original purchase, be free from material defects in workmanship and materials. If a defect occurs within the warranty period, Purchaser shall notify Trex in writing and, upon confirmation by an authorized Trex representative of the defect, Trex's sole responsibility shall be, at its option, to either replace the defective Product or refund the portion of the purchase price paid by Purchaser for such defective Product (not including the cost of its initial installation).

With respect to installations where the atmosphere is influenced by a body of salt water (or other contaminant conditions), failure to adhere to the cleaning guidelines available at www.trex.com will void this warranty with respect to any condition resulting from such failure.

THIS WARRANTY SHALL NOT COVER AND TREX SHALL NOT BE RESPONSIBLE FOR COSTS AND EXPENSES INCURRED WITH RESPECT TO THE REMOVAL OF DEFECTIVE PRODUCT OR THE INSTALLATION OF REPLACEMENT MATERIALS, INCLUDING BUT NOT LIMITED TO LABOR AND FREIGHT.

This warranty may be transferred one (1) time, within the five (5) year period beginning from the date of original purchase by the Purchaser, to a subsequent buyer of the property upon which the Product was originally installed.

To make a claim under this limited warranty, Purchaser, or the transferee, shall send to Trex, within the warranty period referred to above, a description of the claimed defect and proof of purchase, to the following address:

Trex Company, Inc.
Customer Relations
160 Exeter Drive
Winchester, VA 22603-8605

Trex does not warrant against and is not responsible for, and no implied warranty shall be deemed to cover, any condition attributable to: (1) improper installation of the Product; (2) use of the Product beyond normal use and service conditions, or in an application not recommended by Trex's guidelines and local building codes; (3) movement, distortion, collapse or settling of the ground or the supporting structure on which the Product is installed; (4) damages attributable to fire, violent storms, earthquake or other Acts of God, accidents, vandalism, or other casualties, impact of objects, or exposure to atmospheric pollutants or conditions other than natural weather processes, (5) improper handling, storage, abuse or neglect of the Product by Purchaser, the transferee or third parties; or (6) ordinary wear and tear.


No person or entity is authorized by Trex to make and Trex shall not be bound by any statement or representation as to the quality or performance of Trex products other than as contained in this warranty. This warranty may not be altered or amended except in a written instrument signed by Trex and Purchaser.

UNDER NO CIRCUMSTANCES WILL TREX BE LIABLE FOR SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES, WHETHER SUCH DAMAGES ARE SOUGHT IN CONTRACT, IN TORT (INCLUDING BUT NOT LIMITED TO NEGLIGENCE AND STRICT LIABILITY) OR OTHERWISE, AND TREX'S LIABILITY WITH RESPECT TO DEFECTIVE PRODUCTS SHALL IN NO EVENT EXCEED THE REPLACEMENT OF SUCH PRODUCTS OR REFUND OF THE PURCHASE PRICE, AS DESCRIBED ABOVE.

Some States or Provinces do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you. This warranty gives you specific legal rights, and you may also have other rights that vary from State to State or Province to Province.

Copyright © 2013 Trex Company, Inc.

 4









FIND US ON



Visit trex.com or call 1-800-BUY-TREX